

TQ TRADEQUIP
the trusted brand in equipment

TQ Pro
LATEST APPLIED TECHNOLOGIES
Trusted by serious professionals

BORUM
INDUSTRIAL WORKSHOP EQUIPMENT

VALID THROUGH TO MARCH 31 2023

**MADE FOR THE
TRADE**

Established 1984
– “trusted by
Australia’s trade
for more than
38 years”

*Freight Rates May Apply

WORKSHOP EQUIPMENT

For full product specifications go to www.tqbbands.com.au

TQ TRADEQUIP
the trusted brand in equipment

PORTABLE EVAPORATIVE COOLER 750W

1035T

240V/50Hz/750W 3 speed motor
Max. air flow: 23,000 m3 per hour
Water consumption: 12-18 ltr. per hour
Effective cooling area: 150-200sqm
Water tank capacity: 130 Litres
1730H x 1120W x 680Dmm
Weight: 63kg

**Remote
Control
Timer
Panel**



FEATURES

One-piece moulded polyethylene housing will not crack and is rust and leak proof.

Environmentally-friendly alternative to traditional reverse cycle A/C.

Cools without chemicals or refrigerants.

Long-term dependability, near maintenance-free operation.

European design synchronous swing function.

Cools where traditional cooling methods are impractical or cost prohibitive.

Easy to read water level sight tube gauge.

Dual pour in refill water inlet and/or 3/4" hose fitting for automatic tap refill.

Adjustable water flow and drain valve.

Direct drive. LCD 24hour timer panel.

Nylon castors for easy portability.

Remote control speed adjustment.

**EUROPEAN DESIGN
SYNCHRONOUS SWING
FUNCTION**

YouTube
Product Demonstration online

**750W
Cooling
Power**

1730mm



**VIEW
RANGE
HERE**

*Freight Rates May Apply

**SEE INSIDE FOR MORE FANTASTIC
WORKSHOP EQUIPMENT including....
BOTTLE JACKS - JACKS & STANDS
HYDRAULIC PRESSES - VICES
TRANSMISSION LIFTERS + MORE!**

**MADE FOR THE
TRADE**

Excludes GST
\$1689
Inc. GST \$1857.90

PRICED PRODUCT GUIDE

PORTABLE EVAPORATIVE COOLER 750W

1029T **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/750W 3 speed motor
Max. air flow: 23,000 m3 per hour
Water consumption: 20-35 litres per hour
Effective cooling area: 200-260sqm
Cooling area: 200-260m2
Water tank capacity: 200 Litres
1800H x 1600W x 780Dmm
Weight: 128kg

*Freight Rates
May Apply

Excludes GST
\$4799
Inc. GST \$5278.90



Nylon Castors for
easy portability



Remote Control
Timer Panel

TRADEQUIP EVAPORATIVE COOLERS FEATURES & BENEFITS

Moulded polyethylene housing will not crack and is rust & leak proof.
Environmentally-friendly alternative to traditional reverse cycle A/C.
Cools without chemicals or refrigerants.
Long-term dependability. Near maintenance free operation.
Cools where traditional cooling methods are impractical or cost-prohibitive.
Remote control speed adjustment. Direct drive. LCD 24 hour timer panel.
Easy to read water level sight tube gauge.
Dual pour in refill water inlet and/or 3/4" hose fitting for automatic tap refill.
Adjustable water flow & drain valve. Nylon castors for easy portability.

PORTABLE EVAPORATIVE COOLER 550W

1027T **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/550W 3 speed motor
Max. air flow: 18,000 m3 per hour
Effective cooling area: 100-150sqm
Water consumption: 12-18 litres per hour
Water tank capacity: 100 Litres
1510H x 1120W x 680Dmm
Weight: 58kg

EUROPEAN DESIGN
SYNCHRONOUS
SWING FUNCTION

**MADE FOR THE
TRADE**



Remote Control
Timer Panel



Cooler
Maintenance

Excludes GST
\$1379
Inc. GST \$1516.90

*Freight Rates
May Apply



**550
Watts**

PORTABLE EVAPORATIVE COOLER 750W

1035T **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/750W 3 speed motor
Max. air flow: 23,000 m3 per hour
Effective cooling area: 150-200sqm
Water consumption: 12-18 litres per hour
Water tank capacity: 130 Litres
1730H x 1120W x 680Dmm
Weight: 63kg

EUROPEAN DESIGN
SYNCHRONOUS
SWING FUNCTION



Remote Control
Timer Panel



Cooler
Maintenance

Excludes GST
\$1689
Inc. GST \$1857.90

*Freight
Rates May
Apply



**750
Watts**

VIEW
RANGE
HERE



COOLER COVER

1035T-CO **TRADEQUIP**
the trusted brand in equipment

Water-resistant fabric
Lightweight and breathable
UV treated and Easy to use
To protect 1027T, 1028T
and 1035T Tradequip
Portable Evaporative
Coolers when not in use.

**MADE FOR THE
TRADE**

Excludes GST
\$99
Inc. GST \$108.90

Limited
Stock



**MADE FOR THE
TRADE**

PORTABLE INDUSTRIAL SPOT COOLING AIR CONDITIONERS



Tradequip
"Made for the Trade"
Portable Air Conditioners
offer a quick spot
cooling solution with
"plug and play"
technology that tops
the competition with
their small size,
strong air flow, and
easy installation.

**MADE FOR THE
TRADE**

TRADEQUIP INDUSTRIAL AIR CONDITIONERS FEATURES & BENEFITS

Compact yet powerful. Wide operating range of 18° - 45°C.
Single duct system for easy installation. Capillary tube construction for simplicity.
5 Litre self-contained condensation tank for easy removal and emptying.
Heavy duty compressor with automatic restart and short cycle protection.
Motors and compressors have overload protection.
Durable and long lasting steel construction.
Heavy duty locking castors and handles for easy manoeuvrability.
Easy to use plug in and place the hot air duct out of window/door or into false ceiling.

Excludes GST
\$1449
Inc. GST \$1593.90

**950
Watts**

2.7KW

Excludes GST
\$2649
Inc. GST \$2913.90

**2000
Watts**

4.5KW

Excludes GST
\$3899
Inc. GST \$4288.90

**3000
Watts**

6.5KW



YouTube



Scan code for
online product
demonstration

INDUSTRIAL CABLE REEL 15 METRE



1994T
10 Amp

**AUTO
REWIND**

Excludes GST
\$219
Inc. GST \$240.90

**Great
Accessory
Option**

**MADE FOR THE
TRADE**

Code	1031T	1032T	1033T
Power Unit	240V 50Hz	240V 50Hz	240V 50Hz
Rated Power	950W	2000W	3000W
Mains Plug	10 Amp	15 Amp	15 Amp
Cooling Capacity	2.7KW/9200Btu	4.5KW/15300Btu	6.5KW/22200Btu
Max. Air Flow	400m3 p/hr	800m3 p/hr	1200m3 p/hr
Noise Level	55dB(A)	60dB(A)	65dB(A)
Operating Temp.	18° - 45° C	18° - 45° C	18° - 45° C
Suction Pressure	2.5Mpa (Max.)	2.5Mpa (Max.)	2.5Mpa (Max.)
Discharge Pressure	4.5Mpa (Max.)	4.5Mpa (Max.)	4.5Mpa (Max.)
Refrigerant	R410a/460g	R410a/800g	R410a/1050g
Dimensions	855Hx430Wx405D	1035Hx520Wx480D	1245Hx640Wx560D
Excl. GST	\$1449	\$2649	\$3899
Incl. GST	\$1,593.90	\$2,913.90	\$4,288.90

INDUSTRIAL PEDESTAL FAN 750mm

1015 **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/280W 3 speed motor
750mm aluminium 3 blade fan
Adjustable height: 1235-1760mm
(Blade centre)
0° to 90° oscillating angle or fixed
Air flow: Up to 300m³/min

**280
Watts**

Cast
aluminium
blade

**MADE FOR THE
TRADE**

FEATURES

Rugged and dependable Direct drive motor requires less power and less maintenance compared to other motors.
Durable all-metal construction with black finish, chromium (finger safe) steel grille.
Aerodynamically balanced 3 spoke aluminum blades for maximum airflow and motor efficiency.
Adjustable tilt to direct air where you need it.
Cast Iron heavy duty base for stability.
Metal oscillating gears.

Excludes GST
\$199
Inc. GST \$218.90

Chrome
steel cage

Cast
Iron
heavy
duty
base for
stability

INDUSTRIAL PORTABLE FLOOR FAN 450mm

1045 **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/220W 3 speed motor
450mm steel 3 blade fan
Adjustable flow angle
Air flow: 142sqm per min
Noise level: 69dB(A)

**220
Watts**

Chrome
steel cage

**MADE FOR THE
TRADE**

Excludes GST
\$149
Inc. GST \$163.90

FEATURES

The enclosed direct drive motor is protected from dust and debris to provide years of reliable service.
The 3-speed switch gives you control over the airflow, and vertical tilt helps you control angle. Solid metal construction with durable steel blades.



INDUSTRIAL PEDESTAL MISTING FAN 650mm

1182T **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/230W 3 speed motor
90° Oscillation
Water shortage protection.
Drop the temperature: 2-8°C
Adjustable mist-Exit Vol: 0-16KG/Hr
Effective spray distance: 8-10mtr
Suitable for cooling people, stockbreeding or greenhouse applications.

**230
Watts**

Excludes GST
\$599
Inc. GST \$658.90

**MADE FOR THE
TRADE**

FEATURES

Great for workshops and factory floor areas.
Adjustable height to 1.8m and 3 speed operation.
Large water storage tank & integrated water reservoir.
No mess drip water collector.
Heavy duty base for safety and stability.
Low pressure water pump for reliability and longevity.
Automatic shut-off when water tank is empty.



**NEW
MODEL**

INDUSTRIAL WALL MOUNTED FAN 750mm

1026 **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/280W 3 speed motor
750mm cast alloy 3 blade fan
0° to 90° oscillating angle or fixed
Air flow: Up to 300m³/min
Noise level: 86dB(A)


**280
Watts**

Excludes GST
\$199
Inc. GST \$218.90

Cast
aluminium
blade

FEATURES

Cast aluminium 3 spoke fan blade.
Adjustable tilt and High air flow.
Metal oscillating gears.
Heavy duty wall mounting bracket.



Includes
sturdy
wall mount
bracket

Chrome
steel
cage

INDUSTRIAL VENTILATION FANS

TRADEQUIP
the trusted brand in equipment

**MADE FOR THE
TRADE**

Code	1025	1056	1141T
Fan Diameter	300mm	400mm	450mm
Voltage	240V 50Hz	240V 50Hz	240V 50Hz
Power	520W	1100W	1700W
Speed	2800rpm	2800rpm	2800rpm
Noise Level	52db2 (A)	92db2 (A)	92db2 (A)
Air Delivery	60m³per minute	96m³per minute	162m³per minute
Static Pressure	343Pa	700Pa	972Pa
Excl. GST	\$295	\$735	\$869
Incl. GST	\$324.50	\$808.50	\$955.90

FEATURES

These TradeQuip "Made for the Trade" Industrial Ventilator Fans air out rooms, circulate air or dry wet areas with a powerful air output of 60m³ per minute. Features include an ergonomic handle for effortless transport and an aluminium blade with steel housing construction for long lasting durable performance. Complete with 5 metre flexible ducting.

**WARNING: NOT INTENDED
FOR DUST EXTRACTION**

from

Excludes GST
\$295
Inc. GST \$324.50

**ALLOY
MULTI-BLADE
FANS**



Also available separately
5m Flexible Ducting
300, 400 & 450mm diameter
10m Flexible Ducting
300mm diameter only

PARTS WASHER 90 LITRE

1003T **TRADEQUIP**
The trusted brand in equipment

Pump power: 240V/50Hz/0.5A
Pump output: 2.7-3.3 Litres per min.
Tank: 758L x 527W x 275Hmm
Minimum fluid capacity: 18 Litres
Maximum fluid capacity: 45 Litres
Size: 780L x 540W x 908Hmm

MADE FOR THE TRADE

FEATURES

Sturdy metal construction and quality enamelled gloss finish.
Enclosed "High Volume" electric pump & fully screened pump housing.
Built-in replaceable pump inlet filter.
Chromed flexible metal fluid delivery pipe.
Large removable parts cleaning shelf for inspection and drying.
Immersion soaking when parts cleaning shelf removed.
Non welded one-piece tank with Quick Close fire safe lid mechanism.
Suitable for use with aqueous water based cleaning fluids.
Replacement parts available.



WARNING
Do Not use cleaning fluids with a flashpoint

Excludes GST
\$275
Inc. GST \$302.50

PARTS WASHER 180 LITRE

1004T **TRADEQUIP**
The trusted brand in equipment

Pump power: 240V/50Hz/0.5A
Pump output: 2.7-3.3 Litres per min.
Tank: 1135L x 545W x 320Hmm
Min. fluid capacity: 33 Litres
Max. fluid capacity: 90 Litres
Size: 1150L x 560W x 1430Hmm

MADE FOR THE TRADE

FEATURES

Sturdy metal construction and quality enamelled gloss finish.
Enclosed "High Volume" electric pump & fully screened pump housing.
Built-in replaceable pump inlet filter.
Chromed flexible metal fluid delivery pipe.
Large removable parts cleaning shelf for inspection and drying.
Immersion soaking when parts cleaning shelf removed.
Non welded one-piece tank with Quick Close fire safe lid mechanism.
Suitable for use with aqueous water based cleaning fluids.
Replacement parts available.



WARNING
Do Not use cleaning fluids with a flashpoint

Excludes GST
\$455
Inc. GST \$500.50

PARTS WASHER BRUSH & HOSE

1806 **TRADEQUIP**
The trusted brand in equipment

Long life 70mm synthetic bristles
Polypropylene handle
Stepped hose fitting suitable for connecting to 13mm and 16mm spouts
Suits TradeQuip parts washers 1003, 1004 & 1050

Stiff bristles are ideal for cleaning automotive and machined parts

MADE FOR THE TRADE

WARNING: ONLY SUITABLE FOR USE WITH WATER BASED SOLUTIONS

Excludes GST
\$25
Inc. GST \$27.50



PARTS CLEANING CONCENTRATE

TRADEQUIP
The trusted brand in equipment

MADE FOR THE TRADE

✓ **ENVIRO FRIENDLY**
✓ **BIODEGRADABLE**
✓ **NON-TOXIC**

FORMULATED FOR USE IN ALL TRADEQUIP PARTS CLEANERS

Code	5083T	5082T
Bottle contents	10 Litres	20 Litres
Creates	50 Litres	100 Litres
Exl. GST	\$82	\$135
Incl. GST	\$90.20	\$148.50

from
Excludes GST
\$82
Inc. GST \$90.20



REPLACEMENT PARTS WASHER PUMP

1005 **TRADEQUIP**
The trusted brand in equipment

MADE FOR THE TRADE

Power: 230V 50Hz 26W 0.6Amp
Cable length: 305mm
Head max: 1.8m
Flowrate: 3.15 litres per minute
Outlet thread: 1/2" NPT Female
100L x 85H x 65W mm

WARNING: ONLY SUITABLE FOR USE WITH WATER BASED SOLUTIONS

Excludes GST
\$79
Inc. GST \$86.90



FEATURES

Sturdy poly/plastic body. Stainless steel shaft.
Suits parts washers with chromed flexible metal fluid delivery pipes.
Snap off inlet grill for easy cleaning.
Suitable for use with aqueous water based cleaning fluids.
Works with TradeQuip parts washers (Code/s 1003, 1004 and 1050, sold separately)

COMMERCIAL QUALITY CLEANING POWER

ULTRASONIC PARTS CLEANERS

6 Litres **TRADEQUIP** *The trusted brand in equipment*

Capacity: 6 Litres
Ultrasonic power: 150W
Ultrasonic frequency: 40KHz
Heating power: 300W
Heating temperature: 20-80 C

1036T



Excludes GST
\$955
Inc. GST \$1050.50

13 Litres **TRADEQUIP** *The trusted brand in equipment*

Capacity: 13 Litres
Ultrasonic power: 300W
Ultrasonic frequency: 40KHz
Heating power: 400W
Heating temperature: 20-80 C

1037T



Excludes GST
\$1599
Inc. GST \$1758.90

**MADE FOR THE
TRADE**

*** 30 Minute Timer
* Adjustable
Temp. Control
* 304 Grade
Stainless
Steel Tank**



27 Litres **TRADEQUIP** *The trusted brand in equipment*

Capacity: 27 Litres
Ultrasonic power: 500W
Ultrasonic frequency: 40KHz
Heating power: 500W
Heating temperature: 20-80 C

1038T



Excludes GST
\$2119
Inc. GST \$2330.90

36 Litres **TRADEQUIP** *The trusted brand in equipment*

Capacity: 36 Litres
Ultrasonic power: 600W (adjustable)
Ultrasonic frequency: 28/40KHz
Heating power: 800W
Heating temperature: 20-80 C

1039T



Excludes GST
\$3499
Inc. GST \$3848.90

*** 30 Minute Timer
* Adjustable
Temp. Control
* 304 Grade
Stainless
Steel Tank**

FEATURES

Tradequip "Made for the Trade" Ultrasonic Parts Cleaners make it easy to clean items like carbies, calipers, nuts & bolts, most small metal parts - even jewelry. Just fill the cleaner with water, mix with the appropriate ultrasonic cleaning additive (sold separately), set the timer and walk away to get on with another job. The ultrasonic cleaner works with or without heat and provides deep cleaning using ultrasound technology and water. The adjustable temperature and timer gives you a variety of cleaning performance options.

MOBILE WORKBENCH

1073T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 300kg
Work surface: 1100 x 700mm
1100L x 700W x 830H mm
Weight: 60kg

FEATURES

Sturdy steel construction.
High gloss enamel finish.
Quality castors - two fixed and two locking swivel.
Heavy-duty handle.



STEEL WALL MOUNTED TOOL CABINET

1011T **TRADEQUIP**
The trusted brand in equipment

Thickness: 1mm Steel Sheet
Lockable cupboards: 3
Adjustable shelves: 6
Peg board hooks: 6
1200L x 600H x 200W mm
Weight: 19kg

FEATURES

Three compartments each have 2 adjustable shelves.
Perforated and slotted back panel to allow for the hanging of tools.
High gloss enamel paint.
Includes mounting brackets.



3 DRAWER STEEL WORKBENCH

1012T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 300kg
Heavy duty steel construction
High gloss enamel paint finish
Includes bottom shelf & 3 locking drawers
Each drawer holds up to 50kg
2000L x 860H x 640Wmm

FEATURES

Manufactured from high quality, heavy-duty steel and features a large surface for more work space and an extended lip around the surface of the table.
The tough high gloss enamel paint finish is designed to provide years of protection against normal wear and tear.



MOBILE WORKBENCH

6047 **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 250kg
Bench top capacity: 150kg
Bench top: 1200L x 640Wmm
1200L x 640W x 875H mm
Shelf: 1110L x 460Wmm
Shelf capacity: 100kg
Weight: 56.5kg

250kg Capacity

MADE FOR THE TRADE

FEATURES

Heavy duty rolled edge steel construction.
Convenient removable drain bowl.
13mm benchtop rim to contain leaking fluids when working on engines and transmissions.
Quality castors (2 swivel with brake).
Lockable steel drawer with ball bearing slides.
High gloss enamel paint finish.



STEEL WORKBENCH

1014T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 90kg
Work surface: 1510x700mm
Raised edge height: 50mm
1520L x 710W x 830Hmm
Weight: 48kg

FEATURES

Sturdy steel construction.
High gloss enamel paint finish.
Raised protective edge to work surface.
Adjustable feet for levelling on uneven floors.
Quick and easy to assemble.
Easily wipe dirt and grime from surface with a soft cloth.



WORKSHOP TROLLEY 4 DRAWERS WITH LOCKABLE TOP

6052 **TRADEQUIP**
The trusted brand in equipment

Working load limit: 260kg
Heavy duty steel construction
High gloss enamel paint finish
Non-slip rubber tool tray liners

Includes bottom shelf and 4 locking drawers
850L x 445D x 972Hmm

MADE FOR THE TRADE

FEATURES

Heavy gauge steel construction with lockable sliding top on smooth ball bearing runners.
Quality ball bearing slide drawers, that are locked when top is closed.
Side handle for comfort and control when manoeuvring.
Heavy-duty ergonomic grip handle.
Two heavy-duty locking castors for control and stability.





FOLDABLE ENGINE CRANE 1,200KG

1001T **TRADEQUIP**
the trusted brand in equipment

Safe working max. capacity: 1200kg
(AS1418.5 approved)
Adjustable boom: 250kg, 500kg, 750kg & 1200kg
Max. lifting height @ 1200kg: 620mm
Max. lifting height @ 250kg: 1160mm
Jib length fully retracted @ 1200kg: 1040mm
Jib length fully extended @ 250kg: 1580mm
Leg height: 190mm
Weight: 85kg

MADE FOR THE TRADE

**DUAL ACTION
HIGH SPEED
RAM**

Excludes GST
\$525
Inc. GST \$577.50

FEATURES

Ideal for automotive & light engineering.
Adjustable boom in four positions.
Outrigger legs easily fold up for storage.
Six swivel castor wheels.
High-grade steel and built to exacting standards for quality and durability.
Short lifting chain & hook with safety latch.
Lead-free paint is oil, grease and dirt-resistant for easy cleanup.



ENGINE CRANE LOAD LEVELLER

1030 **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: 680kg
Chain length: 300mm
Chain anchor positions: 3
Engine mount positions: 4
Weight: 6kg

MADE FOR THE TRADE



**680kg
Capacity**

Excludes GST
\$90
Inc. GST \$99.00

ENGINE SUPPORT BAR

1021T **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: 500kg
Extension: 1020 - 1630mm
Weight: 23kg

FEATURES

Cross bar feature for improved stability and more flexibility.
Dual hook assemblies for balanced support of engines & transmissions.
High gloss enamel finish.
Adjustment screw for leveling.



**500kg
Capacity**

DUAL HOOK

Excludes GST
\$235
Inc. GST \$258.50

MADE FOR THE TRADE

RAM TO SUIT TRADEQUIP 1001T ENGINE CRANE

2008 **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: 8,000kg
Length: 630-1135mm
Ram pin hole: 16mm dia. 35mm Outside ram
Ram diameter: 80mm
Clevis base pin hole: 16mm dia
Clevis base: 25mm inside - 45mm outside
Base width: 129mm
Weight: 10.5kg

MADE FOR THE TRADE

Excludes GST
\$155
Inc. GST \$170.50

**8000kg
Capacity**



ENGINE SUPPORT BAR

1019T **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: 500kg
Extension: 1020 - 1600mm
Weight: 15kg

FEATURES

Adjusts to fit across most car bonnets.
Supports engines or transmissions.
Powder coat finish.
Adjustment screw for load leveling.
Supplied with short length of chain.



**500kg
Capacity**

**Adjustable
Extension
Arms**

Excludes GST
\$163
Inc. GST \$179.30

MADE FOR THE TRADE

ENGINE SUPPORT BAR

1020T **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: 500kg
Extension: 1020- 1430mm
Weight: 19kg

**Adjustable
Extension
Arms**

FEATURES

Dual hook assemblies for balanced support.
Adjustable to fit across most car bonnets.
Supports engines or transmissions.
Rubber cushioned support legs.
High gloss enamel finish.
Adjustment screw for load leveling.
Supplied with a short length of chain.



**500kg
Capacity**

DUAL HOOK

LATEST APPLIED
TECHNOLOGIES

TQ PRO
Trusted by serious professionals

BORUM
INDUSTRIAL WORKSHOP EQUIPMENT



ENGINE CRANE 3,000KG

1193 **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 3000kg
Adjustable boom: 1000kg, 1500kg, 2000kg & 3000kg
Maximum lifting height @ 3000kg: 1745mm
Maximum lifting height @ 1000kg: 2085mm
Jib length fully retracted @ 3000kg: 1100mm
Jib length fully extended @ 1000kg: 1730mm
Leg height 190mm
Weight: 121.5kg

FEATURES

This heavy duty TradeQuip "Made for the Trade" engine crane has a long stroke lifting ram, a single action pump with a maximum load capacity of 3,000kg. Very simple to use manual hydraulic operation. The jib extends to the desired lifting capacity of 1000kg, 2000kg or 3000kg secured by a single locking pin. Mounted on heavy duty castor wheels for excellent manoeuvrability around the workshop.

Excludes GST
\$1169
Inc. GST \$1285.90

3000kg Capacity



ENGINE STAND 500KG

1894T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 500kg
360° rotating head
1190L x 850W x 1230H mm
Weight: 54kg

Suitable for Small and Medium Engines

WORM GEAR HEAD DRIVE STURDY REINFORCED NECK

Excludes GST
\$769
Inc. GST \$845.90

IMPORTANT:
ENGINE DIMENSIONS
MUST BE WITHIN LEGS
OF ENGINE STAND

MADE FOR THE TRADE

500kg Capacity



450kg Capacity

ENGINE STAND 450KG

TQES450 **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 450kg
360° rotating head
Centre height: 780mm
700L x 750W x 860H mm
Weight: 21kg

Suitable for Small and Medium Engines

SPACE SAVING COMPACT DESIGN EASY SETUP & DISASSEMBLY

IMPORTANT:
ENGINE DIMENSIONS
MUST BE WITHIN LEGS
OF ENGINE STAND

MADE FOR THE TRADE

Excludes GST
\$159
Inc. GST \$174.90

ENGINE STAND 680KG

1891T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 680kg
360° rotating head
Centre height: 895mm
870L x 800W x 900H mm
Weight: 39kg

Suitable for Small and Medium Engines


Excludes GST
\$259
Inc. GST \$284.90

680kg Capacity



Removable legs

MADE FOR THE TRADE



900kg Capacity

ENGINE STAND 900KG

1192T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 900kg
360° rotating head
Centre height: 800mm
1110L x 530W x 900H mm
Weight: 45kg

Suitable for Medium to Large Engines

FOLDING LEGS FOR EASY STORAGE STURDY REINFORCED NECK AND STABLE WIDE BASE

Excludes GST
\$315
Inc. GST \$346.50

SELF-EVACUATING OIL DRAINER 65 LITRE

1046T **TRADEQUIP**
the trusted brand in equipment

Capacity: 65 Litres
Working height: 1060-1600mm
Discharge pressure: 12psi
Telescopic adjustment
Air inlet: 1/4" BSP

Excludes GST
\$399
Inc. GST \$438.90

MADE FOR THE TRADE

**TELESCOPIC
COLLECT
STORE/CARRY
DISCHARGE**

Fluid sight tube

Telescopic height adjustment

Air pressure relief valve

AIR OPERATED

FEATURES

Collect, transfer, evacuate used engine oils, transmission fluids, power steering fluids etc. Top quality heavy-gauge steel collection tank with adjustable telescopic drain pan. Offset drain bowl and Tank oil level indicator. Air pressure relief valve prevents. Sturdy rubber front wheels and ball bearing-mounted rear castors provide stability and easy maneuverability. Lead-free paint is oil, grease and dirt-resistant. Oil, heat, ozone and abrasion resistant hose.

TRUCK FLUID DRAIN PAN WITH HAND PUMP 65 LITRE

1147T **TRADEQUIP**
the trusted brand in equipment

Lightweight high-impact polypropylene. Oil and coolant resistant. Manoeuvrable 4" castors. Tank size: 1300x730x200mm

Excludes GST
\$579
Inc. GST \$636.90

MADE FOR THE TRADE

FEATURES

Lightweight high-impact polypropylene. Suitable for engine oil, coolant and transmission fluid. Built-in rotary hand discharge pump. Removable metal filter screen. Smooth rolling rubber castor wheels.

OIL DRAIN PLUG KEY SET

9027T **TRADEQUIP**
the trusted brand in equipment

Hex Key socket bits: 8mm, 9mm, 10mm, 12mm, 13mm, 14mm and 17mm
Square socket bits: 5/16", 3/8", 7mm, 8mm, 10mm, 11mm, 12mm, 13mm & 14mm
Torx socket bits: T45
Spline (tamper) socket bits: M16
Triangular socket bits: 10mm
Square Drive socket: 10mm
1 x 3/8" Drive Sliding T-Handle

Excludes GST
\$88
Inc. GST \$96.80

MADE FOR THE TRADE

CHROME VANADIUM STEEL

TRUCK FLUID DRAIN PAN 60 LITRE

1146T **TRADEQUIP**
the trusted brand in equipment

Capacity: 60 Litres
Enamel steel construction
Oil and coolant resistant
Size: 1174 x 641 x 673mm
Front swivel castors

MADE FOR THE TRADE

FEATURES

Enamelled steel construction. Oil and coolant resistant. Removable metal screen. Two front swivel castors. Two rear fixed wheels. Brass drain valve. Transfer pump coupling. Grab handle.



60 LITRE Capacity

Removable metal filter screen

Excludes GST
\$279
Inc. GST \$306.90

ENAMEL STEEL CONSTRUCTION

WORKSHOP TROLLEY 3 TOOL TRAYS

6004 TRADEQUIP
The trusted brand in equipment

Safe working capacity: 150kg
Powder coated .6mm steel
100mm composite castors
845L x 410W x 780Hmm

MADE FOR THE TRADE

Excludes GST
\$165
Inc. GST \$181.50

FEATURES

This three shelf workshop trolley is durable enough for moving tools and car parts. Deep shelves give you plenty of storage for your tools and parts.



WORKSHOP TROLLEY 2 TOOL TRAYS & 1 DRAWER

6012T TRADEQUIP
The trusted brand in equipment

Safe working capacity: 100kg
One lockable drawer
100mm composite rubber castors
Two 100mm deep shelves
770L x 370W x 830Hmm

MADE FOR THE TRADE

Excludes GST
\$269
Inc. GST \$295.90



FEATURES

Heavy gauge steel construction.
Quality 35mm ball bearing slide drawer.
Side handle for comfort and control.
Tough enamel finish.



SCISSOR LIFT WORKSHOP TROLLEY 500KG

6007T TRADEQUIP
The trusted brand in equipment

Safe working capacity: 500kg
Working height: 440-1575mm
Table size: 1010L x 520Wmm
Wheel diameter: 150mm
1130L x 520W x 1260Hmm

MADE FOR THE TRADE

Excludes GST
\$1569
Inc. GST \$1725.90

FEATURES

Double Scissor High Lift.
Foot-operated hydraulic pedal keeps your hands free.
Quick release hand lever for easy, controlled hydraulic release.
2 locking heavy duty swivel castors.
All steel construction.
Powder coated for extra protection.
Perfect for moving heavy parts to and from the vehicle.



WORKSHOP TROLLEY (Polymer)

6045 TRADEQUIP
The trusted brand in equipment

Safe working capacity: 226kg
3 x 100mm deep shelves
125x30mm smooth rolling rubber swivel castors
75kg tool tray capacity
875L x 430W x 830Hmm

MADE FOR THE TRADE

FEATURES

Deep shelves give you plenty of storage for your tools and parts.
Industrial grade castors.
Will not dent, rust or chip.
Convenient push handles.
No painting required. Cleans easily.

Excludes GST
\$255
Inc. GST \$280.50



WORKSHOP TROLLEY (Polymer)

6046 TRADEQUIP
The trusted brand in equipment

Safe working capacity: 226kg
8 Parts bins 241x152x127mm
24 Parts bins 165x101x76mm
125x30mm rubber swivel castors
85kg tool tray capacity
1000L x 435W x 850Hmm

FEATURES

Deep shelves give you plenty of storage for your tools and parts.
Industrial grade castors.
Will not dent, rust or chip.
Convenient push handles.
No painting required. Cleans easily.



Excludes GST
\$365
Inc. GST \$401.50

WORKSHOP TROLLEY 2 DRAWERS & LOCKABLE SLIDING TOP

6019T TRADEQUIP
The trusted brand in equipment

Safe working capacity: 100kg
Two lockable drawers & top
100mm composite rubber castors
Two 75mm deep shelves
700L x 370W x 760Hmm

FEATURES

Heavy gauge steel construction with lockable sliding top.
Quality 35mm ball bearing sliding drawers, which are locked when top is closed.
Side handle for comfort and control when moving.
Tough enamel finish.
Non slip rubber tool tray liners.



Excludes GST
\$359
Inc. GST \$394.90

SCISSOR LIFT WORKSHOP TROLLEY 450KG

6003T TRADEQUIP
The trusted brand in equipment

Safe working capacity: 450kg
Working height: 285-875mm
Table size: 500 x 810mm
Wheel Diameter: 125mm

Excludes GST
\$869
Inc. GST \$955.90

MADE FOR THE TRADE

FEATURES

Hands free foot-operated hydraulic pedal.
Quick release hand lever for easy release.
Heavy duty oil-resistant nonslip mat.
Two locking heavy duty swivel castors.
Powder coated all steel construction.
Perfect for moving heavy parts to vehicles.



BENCH VICES FIXED OR SWIVEL WITH ANVIL

TRADEQUIP
the trusted brand in equipment

FEATURES

Quality cast iron body with steel screw and handle. Made of tough cast iron, this TradeQuip bench vice has forged steel jaws to grip and keep your workpiece steady. The large anvil is perfect for shaping and fabrication work.

**MADE FOR THE
TRADE**



from

**Excludes GST
\$149**
Inc. GST \$163.90

Reinforced
mounting
lugs

Code	7000T	7001T	7002T	7003T	7004T	7005T
Vice type	Fixed	Fixed	Fixed	Swivel	Swivel	Swivel
Jaw Width	125mm	150mm	200mm	125mm	150mm	200mm
Jaw Opening	130mm	150mm	170mm	140mm	170mm	220mm
Throat Depth	69mm	76mm	88mm	76mm	86mm	110mm
Anvil Size	85x90mm	100x105mm	105x105mm	106x106mm	127x127mm	147x147mm
Excl. GST	\$149	\$189	\$249	\$199	\$299	\$409
Incl. GST	\$163.90	\$207.90	\$273.90	\$218.90	\$328.90	\$449.90

MULTI-PURPOSE BENCH VICE WITH PIPE JAWS 150MM

7009T TRADEQUIP
the trusted brand in equipment


Jaw width: 150mm
Jaw opening: 140mm
Throat depth: 80mm
Anvil size: 80x65mm

Jaws rotate
360°

FEATURES

Body of rugged quality malleable cast iron. Forge hardened steel serrated jaws. Precision machined steel screw and handle. Reinforced mounting lugs. 360° Swivel base locks in place for greater versatility. Jaws rotate 360° and lock for unlimited positioning. Holds flat stock as well as round stock with the built-in pipe jaws. Large hardened anvil work surface.

**Excludes GST
\$369**
Inc. GST \$405.90



360°
Swivel
Base

**MADE FOR THE
TRADE**

COMMERCIAL BENCH VICE SWIVEL WITH ANVIL 150MM

BRV150 BORUM
INDUSTRIAL WORKSHOP EQUIPMENT

Jaw width: 150mm
Jaw opening: 150mm
Throat depth: 105mm
Anvil size: 90x105mm

**INDUSTRIAL
QUALITY**



**Excludes GST
\$419**
Inc. GST \$460.90

360°
Swivel
Base

COMMERCIAL BENCH VICE SWIVEL WITH ANVIL 200MM

BRV200 BORUM
INDUSTRIAL WORKSHOP EQUIPMENT

Jaw width: 200mm
Jaw opening: 200mm
Throat depth: 115mm
Anvil size: 100x113mm

**INDUSTRIAL
QUALITY**



**Excludes GST
\$599**
Inc. GST \$658.90

360°
Swivel
Base

DRILL PRESS VICE 150mm

7011T TRADEQUIP
the trusted brand in equipment

Jaw width: 150mm
Jaw opening: 120mm
Throat depth: 35mm
Weight: 4.2kg

**Excludes GST
\$88**
Inc. GST \$96.80

**MADE FOR THE
TRADE**



FEATURES

Slotted base for easy positioning. Designed for use with drill presses. Made of cast iron & ideal for engineering & industrial workshops

PRODUCT SUPPORT

Go to our TQB Brands Website for extensive product support & regular information updates.



TOP TIPS



Scan code to go to our Top Tips guides and learn how to extend the life of your TQB Brands equipment

Visit our webpage www.tqbbrands.com.au for instructional & pre-start videos.

AIR/HYDRAULIC BOTTLE JACK BLEED PROCEDURE



A Step by Step Guide
To Bleeding TQB Brands Series Air/Hydraulic Bottle Jacks

3:17

Air/Hydraulic Bottle Jack Bleeding Video

12K views • 1 year ago



STEP 5

Invert The Jack
& Push The Pump Handle Back To The Horizontal Position

2:11

Hydraulic Bottle Jack Bleeding Video

17K views • 1 year ago



TradeQuip Diesel/Kerosene Workshop Heaters

5K views • 3 years ago



TradeQuip 2020 Evaporative Cooler Range

2.7K views • 1 year ago

For a comprehensive guide to your TQB Brands product Maintenance, Setup and Demonstration



YouTube



Scan code to go to TQB Brands Youtube Channel



Scan code to go to TQB Brands Troubleshooting Documents

TROUBLESHOOT DOCUMENTS



BOTTLE JACKS (10)



BLASTING EQUIPMENT (2)



CRANES & LIFTING DEVICES (0)



DRILLING MACHINES (0)



ENGINE STANDS & SUPPORTS (0)



FANS, COOLERS, HEATERS & AIRCON (6)



GARAGE JACKS (25)



MOTORCYCLE LIFTERS (0)



OIL DRAINERS & PUMPS (0)



PARTS WASHERS (2)



PORTA POWERS & PANEL REPAIR (1)



PRESSES & PIPE BENDERS (17)



STANDS, RAMPS & DOLLIES (1)

MOBILE WORKSHOP TABLE

6024T **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: 45kg
Working height: 930-1270mm
Castor wheel diameter: 75mm
Top dimensions: 809L x 475W x 42Hmm
Main tray dimensions: 580L x 308W x 38Hmm
Overall dimensions: 870L x 755W x 942Hmm
Weight: 19.5kg

**MADE FOR THE
TRADE**

This very versatile mobile workshop table makes any installation or service work flow more efficiently for auto repairers and installation workshops.

FEATURES

The Heavy Duty steel construction makes this TradeQuip "Made for the Trade" Mobile Workshop Table durable enough for moving tools and car parts to and from the vehicle. Easily handles loads up to 45kg. Solid composite rubber castors ensure you can manoeuvre this mobile workshop table around the workshop without marring the floor. The height adjustment gives you plenty of options for lowered cars or SUV's.



Lockable composite rubber castors



Excludes GST
\$349
Inc. GST \$383.90



**45kg
Capacity**

Working height: 930-1270mm

FOAM PROTECTOR

MOBILE WORKSHOP TABLE

6055T **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: 22kg
Working height: 840-1210mm
Main post diameter: 50mm
Castor wheel diameter: 50mm
Top dimensions: 750x480x25mm

**22kg
Capacity**



FEATURES

Strong tubular steel construction.
Handy tool storage holders.
Industrial high gloss enamel finish.
50mm composite rubber castors.
Height adjustable to most vehicles.
Sturdy main support post.
Table top swivels 360° for easy access.

Excludes GST
\$199
Inc. GST \$218.90

**MADE FOR THE
TRADE**

Working height: 840-1210mm

22 BIN PARTS STORAGE RACK

6053 **TRADEQUIP**
the trusted brand in equipment

Working load capacity: 100kg
15 parts bins: 345x105x75mm (3kg load capacity)
4 parts bins: 345x140x150mm (5kg load capacity)
3 parts bins: 345 x 205 x 150mm (8kg load capacity)
Swivel castor diameter: 100mm
880L x 410W x 950H mm

**MADE FOR THE
TRADE**

Excludes GST
\$409
Inc. GST \$449.90



FEATURES

Sturdy five-tier steel powder coated rack.
Zinc plated wire shelving with bin locating guides.
Quick & easy clip together adjustable shelves.
Stackable bins made of moulded polypropylene.
Ideal for garage, workshop, office, shed.
Powder coat frame resists corrosion.
Quality swivel castors (2x lockable).
Convenient access to removable bins.

**EASY TO
ASSEMBLE**

HYDRAULIC GEAR PULLER 23 PIECE

9023T **TRADEQUIP**
The trusted brand in equipment

Capacity: 10,000kg
Bearing Separator: 20-105mm
Twin/triple head, beam and legs to build: 100, 150 and 200mm
Two and three leg hydraulic pullers with separator capacity: 75-105mm
Size: 355L x 195W x 150Hmm

MADE FOR THE TRADE



Excludes GST

\$349

Inc. GST \$383.90

UNIVERSAL PRESS & PULL SLEEVE KIT 26 PIECE

9024T **TRADEQUIP**
The trusted brand in equipment

4 Beams
3 1/2" Sleeves
20 Sleeves
11 pieces (GOLD)
9 pieces (SILVER)

Excludes GST

\$349

Inc. GST \$383.90



For removal and installation of bushes, bearings and seals, races, sprockets and pulleys on cars, trucks, off-road construction equipment and machinery

UNIVERSAL PRESS SUPPORT BLOCK 30,000KG

9025T **TRADEQUIP**
The trusted brand in equipment

Base block: 250 x 200 x 40mm
Height adaptor block: 200x70x40mm

MADE FOR THE TRADE



Made from Billet aluminium

PRODUCT DEMO

Excludes GST

\$319

Inc. GST \$350.90

For use with a hydraulic shop press for workpieces with a complicated shape to allow bearings to be pressed in or out accurately.

HYDRAULIC PRESS 20,000KG

1002 **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 20,000kg
Work range: 130-705mm
Bed outside: 210mm
Bed inside: 106mm
Bed width: 570mm
Ram diameter: 105mm
1510H x 700D x 665Wmm
Weight: 88kg

MADE FOR THE TRADE

Excludes GST

\$699

Inc. GST \$768.90


FEATURES

Heavy-duty H-frame constructed of high-grade steel.
Welded frame prevents flexing.
Lead-free paint finish helps prevent rust & is oil, grease & dirt-resistant for easy cleanup.
High quality large diameter hydraulic steel cylinder unit reduces wear and extends service life.
Dependable double spring return for fast ram retraction.
Piston-ram is treated and polished for extended life.
Reinforced head bolster for added strength.
Pair of bed plates included.



6 HEIGHT SETTINGS

20,000kg Capacity



6 HEIGHT SETTINGS

20,000kg Capacity

Excludes GST

\$498

Inc. GST \$547.80

HYDRAULIC PRESS 20,000KG


1060T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 20,000kg
Work range: 50-890mm
Bed outside: 200mm
Bed inside: 96mm
Bed width: 510mm
Ram diameter: 105mm
1560H x 700D x 600Wmm
Weight: 78kg

MADE FOR THE TRADE

FEATURES

Heavy-duty H-frame constructed of high-grade steel.
Lead-free paint finish helps prevent rust & is oil, grease & dirt-resistant for easy cleanup.
High quality large diameter hydraulic steel cylinder unit reduces wear and extends service life.
Dependable double spring return for fast ram retraction.
Piston-ram is treated and polished for extended life.
Reinforced head bolster for added strength.
Pair of bed plates included.



9 HEIGHT SETTINGS

30,000kg Capacity

HYDRAULIC PRESS 30,000KG

1186T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 30,000kg
Work range: 00-900mm
Bed outside: 315mm
Bed inside: 185mm
Bed width: 590mm
Ram diameter: 53mm
1690H x 660D x 830Wmm
Weight: 142.7kg

MADE FOR THE TRADE

FULLY WELDED FRAME

FEATURES

Heavy-duty H-frame constructed of high-grade steel.
Welded frame prevents flexing.
Lead-free paint finish helps prevent rust & is oil, grease & dirt-resistant for easy cleanup.
High quality large diameter hydraulic steel cylinder unit reduces wear and extends service life.
Dependable double spring return for fast ram retraction.
Piston-ram is treated and polished for extended life.
Reinforced head bolster for added strength.
Pair of bed plates included.

Excludes GST

\$939

Inc. GST \$1032.90

AIR/HYDRAULIC WORKSHOP PRESS 30,000KG

PROSHPR30TA

Safe working capacity: 30,000kg
Working range: 25-850mm
Screw adjustment: 75mm
Bed outside: 164mm
Bed inside: 148mm
Bed width: 600mm
Ram diameter: 58mm
Bed height settings: 6
1800H x 770W x 505Dmm
Weight: 163kg

LATEST APPLIED TECHNOLOGIES
TQPro
Trusted by serious professionals

Professional
Reputable
Outstanding

**30,000kg
Capacity**

LATEST APPLIED TECHNOLOGIES
TQPro
Trusted by serious professionals

- ✓ Mandrel Kit Included
- ✓ Long Pump Handle
- ✓ Premium Bed Blocks
- ✓ Winch Adjustable Bed
- ✓ Premium Hydraulic System
- ✓ Premium Paint Finish
- ✓ Precision Lateral Ram Adjustment
- ✓ Premium Grade Steel Construction
- ✓ Designed for maximum strength, reliability and durability
- ✓ Foot Pedal Air/Hydraulic Operation



AIR/HYDRAULIC WORKSHOP PRESS 50,000KG

PROSHPR50TA

Safe working capacity: 50,000kg
Working range: 80-780mm
Screw adjustment: 75mm
Bed inside: 200mm
Bed outside: 220mm
Bed width: 750mm
Ram diameter: 68mm
Bed height settings: 6
1900H x 930W x 535Dmm
Weight: 243kg

LATEST APPLIED TECHNOLOGIES
TQPro
Trusted by serious professionals

Professional
Reputable
Outstanding



**50,000kg
Capacity**



Excludes GST
\$4999
Inc. GST \$5498.90

6 HEIGHT SETTINGS

SAFETY BARRIER AVAILABLE SEPARATELY



Excludes GST
\$3599
Inc. GST \$3958.90

6 HEIGHT SETTINGS

AIR/HYDRAULIC WORKSHOP PRESS 75,000KG

BSP75TA

Safe working capacity: 75,000kg
Working range: 170-884mm
Piston ram stroke: 260mm
Bed height settings: 8
Bed width: 800mm
Op. air pressure: 110-125psi
1925H x 1146W x 800Dmm
Weight: 451kg

INDUSTRIAL QUALITY



FEATURES
High-grade steel H-frame.
Foot operated air trigger ram travel control.
100mm pressure gauge.
Table winch system lowers or raises the bed.
High quality large diameter hydraulic steel cylinder unit.
Hydraulics are powered with a high quality oil.
Integrated overload protection valve keeps from overloading the system.
Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup and to help prevent rust.
Extra tall working range.
Pair of bed plates included.



**75,000kg
Capacity**

Excludes GST
\$7999
Inc. GST \$8798.90

8 HEIGHT SETTINGS

AIR/HYDRAULIC WORKSHOP PRESS 100,000KG

BSP100TA

Safe working capacity: 100,000kg
Working range: 113-813mm
Piston ram stroke: 300mm
Bed height settings: 6
Bed width: 787mm
Op. air pressure: 110-125psi
2048H x 1199W x 990Dmm
Air inlet: 1/4"NPT
Weight: 652kg

**100,000kg
Capacity**



Excludes GST
\$11,499
Inc. GST \$12,648.90

6 HEIGHT SETTINGS

INDUSTRIAL QUALITY

HYDRAULIC WORKSHOP PRESS 45,000KG

2036T  **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 45,000kg
Working range: 159-859mm
Bed outside: 359mm
Bed inside: 195mm
Bed width: 826mm
Piston ram stroke: 190mm
Ram Diameter: 90mm
1707H x 826D x 1106Wmm
Bed height settings: 6
Weight: 296kg

Excludes GST
\$3299
Inc. GST \$3628.90

AIR/HYDRAULIC WORKSHOP PRESS 45,000KG

2038T  **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 45,000kg
Working range: 159-859mm
Bed outside: 359mm
Bed inside: 195mm
Bed width: 826mm
Piston ram stroke: 190mm
Ram Diameter: 90mm
Op. air pressure: 110-125 psi
1707H x 800D x 1106Wmm
Bed height settings: 6
Weight: 301kg
AIR OPERATED

Pre-Order
ETA
DEC 2022

6 HEIGHT SETTINGS

MADE FOR THE TRADE

FEATURES
High-grade steel frame.
2 speed pump. 100mm pressure gauge.
Bed winch for easy raise and lower adjustment.
Paint is oil, grease and dirt-resistant for easy cleanup.
High quality large diameter hydraulic steel cylinder unit.
Piston-ram is treated, polished. Includes hand winch.
Integrated overload protection valve prevents overloading.
Extra-long handle included for easy pumping force.
Double spring ram return for fast ram retraction.

45,000kg Capacity

Excludes GST
\$3499
Inc. GST \$3848.90

HYDRAULIC WORKSHOP PRESS 20,000KG

BHSP20T  **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 20,000kg
Working range: 38-918mm
Bed outside: 172mm
Bed inside: 152mm
Bed width: 510mm
Piston ram stroke: 185mm
Bed height settings: 8
Ram diameter: 72mm
1626H x 730W x 560Dmm
Weight: 115kg

8 HEIGHT SETTINGS

INDUSTRIAL QUALITY

FEATURES
Heavy-duty high-grade steel H-frame.
Integrated overload protection valve.
Foot & Hand operated pump.
100mm pressure gauge.
STEEL SAFETY MESH BARRIER
Lead free paint finish is oil, grease and dirt-resistant for easy cleanup.
Piston-ram is fitted with backup ring, preventing bypass oil drift.
High quality hydraulic oil offers better corrosion resistance and flexibility.
Pair of bed plates included.

Excludes GST
\$2049
Inc. GST \$2253.90

20,000kg Capacity

HYDRAULIC WORKSHOP PRESS 30,000KG

BHSP30T  **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 30,000kg
Working range: 151-1031mm
Bed outside: 184mm
Bed inside: 164mm
Bed width: 535mm
Piston ram stroke: 150mm
Bed height settings: 8
Ram diameter: 80mm
1830H x 795W x 700Dmm
Weight: 167kg

Pre-Order
ETA
DEC 2022

8 HEIGHT SETTINGS

INDUSTRIAL QUALITY

FEATURES
Heavy-duty high-grade steel H-frame.
Integrated overload protection valve.
Foot & Hand operated pump.
100mm pressure gauge.
STEEL SAFETY MESH BARRIER
Lead free paint finish is oil, grease and dirt-resistant for easy cleanup.
Piston-ram is fitted with backup ring, preventing bypass oil drift.
High quality hydraulic oil offers better corrosion resistance and flexibility.
Pair of bed plates included.

Excludes GST
\$2899
Inc. GST \$3188.90

30,000kg Capacity

WORKSHOP PRESS ADAPTOR KIT

BPAK  **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Includes 8 different sized pins (mandrels) ranging from 2,000kg to 20,000kg capacity, a pin holder, a storage shelf along with a mounting kit, and a pin plate with the weight capacity shown for each pin.

This very handy set of eight steel mandrels, adaptor and press plate expands the uses of your workshop press for a wider range of applications involving different sized work pieces.

INDUSTRIAL QUALITY

(Mandrel Length x Diameter)

50mm x 10mm
60mm x 12mm
60mm x 16mm
85mm x 18mm
85mm x 20mm
85mm x 22mm
15mm x 25mm
110mm x 30mm

Excludes GST
\$179
Inc. GST \$196.90



PORTA POWER KIT

2010T **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: 10,000kg
14 Piece Kit containing pump and hose fittings
Ram length retracted: 322mm
Ram length extended: 452mm
Extensions: 110,265,365,520mm
Adaptor diameter: 33mm
Hydraulic hose length: 1500mm
Hydraulic oil capacity: 650ml
Case: 905L x 385W x 175H mm
Weight: 31kg

AUTOMATIC OVERLOAD SYSTEM

FEATURES

Spring loaded ram return system, allowing controlled retraction of the ram.
Pump may be used in horizontal & vertical position.
Constructed of high-grade steel and built to exacting standards for quality and durability.
Lead-free paint finish is oil, grease and dirt-resistant.
Pump has an automatic overload system.
Easily adapted to hoses, rams, pumps, spreaders, and other accessories using common 1/4" fittings.
Contained in sturdy Plastic Carry Case.



Excludes GST

\$465

Inc. GST \$511.50

10,000kg Capacity

PORTA POWER KIT

BPP20T **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 20,000kg
Extension tubes: 125, 255, 510, 700mm
3 each, 70mm connective tube & 60mm joint connector tube
Base, Ram toe, Plunger toe
Wedge toe, V-base, Wrench
Retracted ram length: 285mm
Ram stroke: 125mm
Hydraulic hose length: 1470mm
Weight: 62kg

20,000kg Capacity

INDUSTRIAL QUALITY



FEATURES

Constructed of high-grade steel and built to exacting standards for quality and durability.
Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup.
High quality hydraulic steel cylinder unit helps to reduce wear and extend service life.
Piston-ram is treated and polished.
Hydraulics are powered with a high quality oil, which offers better corrosion resistance and high/low temperature flexibility.
Heavy walled extension tubes stand up in tough applications.

AIR/HYDRAULIC PUMP

2054T **TRADEQUIP**
the trusted brand in equipment

Maximum output pressure: 10,000psi
Usable hydraulic fluid capacity: 2.25 Litres
Operating air pressure: 90-145 psi
Air consumption: 7.5CFM @ 100 psi
Oil delivery with No Load: 49.5 cu.in/min
Oil delivery with Load: 7.6 cu.in/min
Input (Air) port thread: 1/4" -18 NPT
Output (Oil) port thread: 3/8" -18 NPT

HANDS FREE POWER

MADE FOR THE TRADE



Excludes GST

\$699

Inc. GST \$768.90

FEATURES

Durable light-weight corrosion-free aluminium.
Built-in overload system prevents pump from being used beyond its safety capacity.
Ergonomic hand/foot activation lever.
Air/oil filters minimise contaminants in hydraulic system.
Perfect for porta power rams & bead breakers.
Compact design fits in truck storage boxes.
Air exhaust muffler for quiet operation.

COMBI PORTABLE BEAD BREAKER 5,000KG

BTBB05 **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Working load limit: 5,000kg
Pressure connection: 3/8"-18NPTF
Rated pressure: 10,000psi
Maximum rim size: 26"
Suits 1,2 & 3 pce rims (up to 26") with pry bar / bead loosening pockets
Ram stroke: 90mm

FEATURES

Durable steel construction.
Clamps to wheel rim & breaks bead simply with up to 5,000kg of force.
Requires 10,000psi air/hydraulic pump (sold separately).

Excludes GST

\$629

Inc. GST \$691.90

Suits TradeQuip 2054T & 2054-H



INDUSTRIAL QUALITY

GIANT PORTABLE BEAD BREAKER 13,000KG

BTBB13 **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Working load limit: 13,000kg
Pressure connection: 3/8"-18NPTF
Rated pressure: 10,000psi
Maximum rim size: 26"
Suits 5 pce rims 635-1,295mm (25"-51") with pry bar / bead loosening pockets
Ram stroke: 105mm

FEATURES

Economical solution for earthmover wheels 25" - 51" multi-piece rims with pry bar pockets.
Hydraulically clamps on wheel.
Durable steel construction.
Hydraulic power breaks beads in seconds.
Requires 10,000psi air/hydraulic pump (sold separately).

Suits TradeQuip 2054T & 2054-H



Excludes GST

\$799

Inc. GST \$878.90

INDUSTRIAL QUALITY

MOTORCYCLE LIFTER 450KG

2101T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 450kg
Height: 175 - 750mm
Platform: 680W x 2200Lmm
Weight: 120kg

**MADE FOR THE
TRADE**

Excludes GST
\$1189
Inc. GST \$1307.90

FEATURES

Ideal lift for use with motorcycles, ATV's, tractors, personal watercraft & snowmobiles.
Locking bar for safety.
Powder coated structural heavy duty steel.
Extra Long Full width loading ramp.
Step-less rate of lowering irrespective of load.
Oil trap plate for easy drainage.
2 foot pedals for raising & lowering - for easy hands free operation.
Fitted with 2 position platform locking device to prevent accidental lowering.
Quality wheels and swivel castors making it easier to position and move around.
Lockdown bolts to prevent unwanted movement during use.
Does not include tie down straps.

**450kg
Capacity**



MOTORCYCLE LIFTER AIR ACTUATED 680KG

2103T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 680kg
Height: 185 - 825mm
Platform dimensions: 710 x 2000mm
Required air pressure: 0.75-0.85Mpa
Weight: 169kg

Excludes GST
\$2099
Inc. GST \$2308.90

**MADE FOR THE
TRADE**

FEATURES

Designed to deliver the ideal lift for use with motorcycles, ATV's, tractors, personal watercraft, and snowmobiles.
Locking bar for safety.
Extra long full width loading ramp.
Powdercoated structural heavy duty steel.
Stepless rate of lowering irrespective of the load.
Oil trap plate for easy drainage.
Lockdown bolts.
2 foot pedals for raising & lowering - for easy hands free operation.
Fitted with 2 position platform locking device.

**680kg
Capacity**



MOTORCYCLE LIFTER 360KG

2102T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 360kg
Height: 205 - 780mm
Platform: 490W x 1345Lmm
Weight: 95kg

**MADE FOR THE
TRADE**

Excludes GST
\$929
Inc. GST \$1021.90

Features wide
lifting stability

**360kg
Capacity**



MOTORCYCLE SCISSOR LIFT 500KG

2104T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 500kg
Height: 95 - 420mm
Platform dimensions: 450x150mm
Weight: 13.8kg

**MADE FOR THE
TRADE**

**500kg
Capacity**

FEATURES

Designed to deliver the ideal lift for use with motorcycles, ATV's, tractors, personal watercraft, and snowmobiles.
Lifts back wheel off lift table for tyre/wheel change.
Powder coated structural heavy duty steel construction.
Rotate lead screw to adjust & raise the lift.
Bolt down lugs to prevent unwanted movement.

Excludes GST
\$165
Inc. GST \$181.50



MOBILE BLASTING UNIT 105 LITRE CAPACITY

3033T **TRADEQUIP**
the trusted brand in equipment

Tank capacity: 105 Litre
Working pressure: 15CFM @ 80psi
Air delivery: 640 Ltr p/min. @ 115psi
Ceramic nozzle tips: Size 7mm
Air hose: 170D x 91D x 2700mm
Sand hose: 180D x 121D x 3100mm
Vacuum hose: 480D x 421D x 2600mm
Wheels: Castor 4" / Fixed 6"
Weight: 30kg

**MADE FOR THE
TRADE**

FEATURES

Ideal for surface preparation on cars, trucks, machinery, steel, glass etching & much more. The Vacuum feature reduces dust and debris around your workshop. Durable wheels & built-in handle allow for easy transport. Simply add abrasive and hook up to an air and power supply and you're ready to blast.

Excludes GST

\$885

Inc. GST \$973.50



**105 LITRE
Capacity**



SODA/SAND BLASTING HOOD

3053 **TRADEQUIP**
the trusted brand in equipment

Durable fabric & synthetic-leather construction
Large 110mm x 55mm acrylic viewing plate
Adjustable internal helmet for added comfort
Reinforced side ventilation panels for increased airflow

FEATURES

Protect eyes and face from "rebounding" abrasive particles by wearing our TradeQuip "Made for the Trade" Abrasive Blasting Hood. Work safe and sound inside this rugged, comfortable, sandblasting hood that's ideal for many abrasive-blasting applications.

**MADE FOR THE
TRADE**

Excludes GST

\$49

Inc. GST \$53.90



NOT FOR
RESPIRATORY
PROTECTION

MOBILE BLAST KIT 37 LITRE CAPACITY

3008 **TRADEQUIP**
the trusted brand in equipment

Tank capacity: 37 Litre
Working pressure: 60-125psi
Air delivery: 400-600 Ltr p/min. @ 125psi
(dependent on nozzle size)
4 ceramic nozzle tips:
2.0 2.5 3.0 3.5mm
Hose length: 2.4M
508H x 305Ø

Excludes GST

\$299

Inc. GST \$328.90



**MADE FOR THE
TRADE**

FEATURES

Heavy duty welded steel design.
High volume extra large valve.
Designed for high flow with minimal air input.
Blast gun fitted with safety trigger.
Heavy-wall blast hose.
Safety pressure-relief valve.
Durable wheels.
Safety mask, thread tape and refill funnel.
Onboard pressure regulator.
Easy to fill screw tank cap.



**37 LITRE
Capacity**



SCAN FOR CORRECT
SET-UP GUIDE

MOBILE BLAST KIT 75 LITRE CAPACITY

**MADE FOR THE
TRADE**

3032T **TRADEQUIP**
the trusted brand in equipment

Tank capacity: 75 Litre
Working pressure: 60-125psi
Air delivery: 400-600 Ltr p/min. @ 90psi
(dependent on nozzle size)
4 ceramic nozzle tips:
2.0 2.5 3.0 3.5mm
Hose length: 2.4M



FEATURES

Heavy duty welded steel design.
High volume extra large valve.
Designed for high flow with minimal air input.
Blast gun fitted with safety trigger.
Heavy-wall blast hose. Durable wheels.
Safety pressure-relief valve.
Safety mask, thread tape and refill funnel.
Includes air pressure regulator.
Built-in moisture separator to help reduce water from clogging the abrasive flow.



**75 LITRE
Capacity**



SCAN FOR CORRECT
SET-UP GUIDE

Excludes GST

\$455

Inc. GST \$500.50



BLASTING MEDIA ABRASIVE

TradeQuip "Made for the Trade" Blasting Media Abrasives are designed for use in conjunction with our TradeQuip Mobile Blasting Kits and Blasting Cabinets. Abrasive blasting has been used for many years to clean and remove rust, paint and corrosion. There are many types of abrasive media available, the most common being Garnet, Steel Grit and Glass Bead. These media have an aggressive cut and can rapidly remove paint and rust. However, they can also generate significant heat, potentially resulting in warped metal and etched surfaces, and they cannot be used on fiberglass. Also, chrome, plastic, rubber, trim, and other parts must be removed from a work surface or masked-off before blasting.

Alternatively, less-aggressive media, such as Walnut Shell, will do a great job at removing paint. Walnut Shell does not generate as much heat as other media, and can be used on sheet metal and fiberglass without damaging the base material. However, Walnut Shell as with any abrasive media, will require more clean-up as it leaves particles in the car body's seams and crevices that can be difficult to completely remove.

Soda blasting media has non abrasive properties which makes it a very universal blasting media which can be applied to lighter materials such as aluminium, plastic, fiberglass, wood etc. Soda Blasting does not damage glass, rubber, chrome items if they are left on a vehicle for blasting.

GARNET 25KG MEDIUM 30/60 3020T

Garnet is a gemstone with excellent naturally abrasive properties. This hard abrasive is fast-cutting, low-dust producing and low-consuming, excellent for removing tough coatings, paint, rust and mill scale from steel. Garnet also permits precise feathering control. A good general outdoor surface preparation abrasive.



Excludes GST
\$55
Inc. GST \$60.50

GARNET 25KG MEDIUM 30/60 3021T (Australian Mined)

Garnet is a gemstone with excellent naturally abrasive properties. This hard abrasive is fast-cutting, low-dust producing and low-consuming, excellent for removing tough coatings, paint, rust and mill scale from steel. Garnet also permits precise feathering control. A good general outdoor surface preparation abrasive.



Excludes GST
\$62
Inc. GST \$68.20

GARNET 25KG COARSE 20/40 3023T

Garnet is a gemstone with excellent naturally abrasive properties. This hard abrasive is fast-cutting, low-dust producing and low-consuming, excellent for removing tough coatings, paint, rust and mill scale from steel. Garnet also permits precise feathering control. A good general outdoor surface preparation abrasive.



Excludes GST
\$59
Inc. GST \$64.90

GLASS BEAD 25KG 106-300MICRON 3025T

Glass beads are used for general cleaning, peening and cosmetic finishing of sensitive metal surfaces; removing automotive paint; brightening grout and removing fungus and calcium deposits from tile; polishing cast iron, stainless steel, aluminium, propellers and turbine blades. Glass Beads are environmentally friendly and can be used in many blast applications to provide a finish with no profile. Use while working with metal, plastic or rubber materials to clean, debur and finish.



Excludes GST
\$99
Inc. GST \$108.90

SODA BI CARB 22KG 3028T (Product of America)

Clean tools, strip paint and more with Soda Bi-Carbonate. The medium-sized crystals provide blasting power to smooth and strip paint without damaging other surfaces. Works with aluminum, steel, stainless steel, fiberglass and more...



Excludes GST
\$135
Inc. GST \$148.50

SAND TO SODA RETROFIT KIT

3054 **TRADEQUIP**
the trusted brand in equipment

Soda won't damage or warp metal
Perfect for stripping fiberglass
Environmentally friendly
Strips without chemicals

FEATURES

Designed for use in conjunction with our 19, 37 and 75 Litre Mobile Sand Blasting Kits. Quick and simple to fit and use. Switching to Soda Blasting is especially suitable for removing paint without harming sheet metal, glass, or chrome.



Excludes GST
\$109
Inc. GST \$119.90

MADE FOR THE TRADE

BLASTING CABINET 220 LITRE CAPACITY

3051 **TRADEQUIP**
the trusted brand in equipment

Cabinet capacity: 220 Litre
Working pressure: 60-110psi
Maximum media capacity: 20kg
4 Ceramic nozzle tips: 4, 5, 6 & 7mm
With gun & low voltage internal fluorescent light
Tempered glass view window: 250 x 525mm
1400H x 890L x 550Wmm

Includes gun and light



Tempered glass window

Side opening door

Suitable for use with workshop vacuum

220 LITRE Capacity

FEATURES

Freestanding floor model.
Complete with gun and low voltage internal fluorescent light.
Tempered glass viewing window with protective shields.
Cabinet fitted and ready to be used with a workshop vac as dust collection system.
Spare parts available in Australia.

MADE FOR THE TRADE



Excludes GST
\$849
Inc. GST \$933.90

BLASTING CABINET 420 LITRE CAPACITY

3036T **TRADEQUIP**
the trusted brand in equipment

Cabinet capacity: 420 Litre
Air regulator & gauge panel
4 Ceramic nozzles: 2x5mm, 2x6mm
Maximum media capacity: 70kg
Maximum air pressure: 125psi
Required air supply: 15-25CFM
14 gauge steel legs & 16 gauge panels
Sand blasting efficiency: 100cm²/min
Optimum operating pressure 60-110psi
1680H x 1180W x 940Dmm



Oversized hinged top door opening

Includes 240V dust extraction system

420 LITRE Capacity

MADE FOR THE TRADE



Includes blasting gun & vinyl blaster gloves

FEATURES

Perfect for surface preparation on any type where other forms of preparation are difficult.
Ideal for removing paint, rust, scale and oxidation.
Large viewing window gives the operator a wide viewing area.
Oversized hinged top door opening & large inside work area allows easy maneuverability.
Hinged door on hopper allows for easy abrasive changes.
Fluorescent light kit and 90CFM dust collector help the operator to maintain a good visual.
Rear-mounted dust collector.
Replaceable protective window.
Foot-pedal-controlled siphon blast gun.



Excludes GST
\$3099
Inc. GST \$3408.90

Foot operated pressure control valve

GARAGE JACK 3,000KG LOW PROFILE

2906T **TRADEQUIP**
The trusted brand in equipment

Working load limit: 3,000kg
Height: 118 - 488mm
Handle length: 1400mm
Front wheels: 90mm dia 40mm width
Rear castors: 60mm dia 25mm width
Saddle diameter: 115mm
Dimensions: 670L x 380W x 170Hmm
Weight: 43kg

FEATURES

Low profile and deep reach.
Heavy gauge steel construction.
1400mm long handle for deeper reach.
Quick Lift Dual Pump technology.
Internal bypass valve overload protection.
Lead-free paint finish to ensure a long-lasting finish and prevent rust.
Paint is oil, grease and dirt-resistant.
Protective foam handle cover prevents vehicle damage.

**HIGH LIFT - LOW PROFILE
AND DEEP REACH**



MECHANICS CREEPER CADDY

TQTC1220 **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 25kg
Tray depth: 43mm (inner)
Swivel castors: 4x 50D x 16Wmm
435L x 400W x 120Hmm
(castor included)

**MADE FOR THE
TRADE**

FEATURES

Easy to clean finish that is oil and solvent resistant and won't rust.
4 smooth-rolling swivel castors.
Impact resistant polymer plastic.
Built-in parts/tool storage compartments.



CAR AND 4WD JACK STANDS

TRADEQUIP
The trusted brand in equipment

FEATURES

Constructed of high-grade steel & built to exacting standards for quality & durability.
Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup.
Quick action adjustable height mechanism.
Double-lock safety pin design for extra safety and security. (1128T & 1148T).
Welded steel frame & cast iron support.
Adjustable height.
Reinforced shaft for added strength stability.
Sold in pairs and only recommended to be used in pairs.

Code	1128T	1148T	1162T
Load limit	2,000kg	4,000kg	8,000kg
Min. Height	285-428mm	395-605mm	468-715mm
Base Area	206x186mm	287x252mm	324x294mm
Excl. GST	\$95	\$168	\$285
Incl. GST	\$104.50	\$184.80	\$313.50



RATCHETING POSITIONING JACKS

1054T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 680kg each
Max. distance between rollers: 710mm
Min. distance between rollers: 340mm
Suits tyres up to: 280mm (W)
Swivel castors: 100mm

**MADE FOR THE
TRADE**

Heavy
duty nylon
swivel
castors



FEATURES

Steel construction with metal rollers.
Heavy duty nylon swivel castors.
Easy foot-pedal lifting design.
2 jacks permit full 180° vehicle pivot.
4 jacks place vehicle on a 360° rolling platform.
Lead-free paint finish helps prevent rust and is oil, grease and dirt-resistant for easy cleanup.
Quick action adjustable height mechanism.
Sold & recommended only to be used in pairs.

Easy foot
pedal lift

Excludes GST

\$469

Incl. GST \$515.90

pair

MECHANICS CREEPER 130KG

1023T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 130kg
1010L x 475W x 115Hmm

**MADE FOR THE
TRADE**

Excludes GST

\$80

Incl. GST \$88.00



FEATURES

The creeper body is manufactured to "Made for the Trade" quality using a high-impact polymer material that resists impacts, won't rust and is easy to clean.
Comfortable padded headrest and load capacity of up to 130kg, this low-profile creeper is one of the lightest and most durable available.

Convenient tool
trays on each side



WHEEL TYRE LIFTER

1055T

Safe working capacity: 50kg
Rollers moving distance: 125mm
Roller diameter & length: (D) 76.2 x 240mm
Rollers push force: <4kg based on 50kg load
Lifting handle force: 1kg based on 50kg load
Overall height: 1380mm
Overall base dimensions: 725W x 872D mm
Roller working range: 100mm to 1060mm
Front castors: 2(D) 75 x 24mm
Rear castor - Locking: 2(D) 75 x 24mm
Weight: 51.25kg

TRULY MOBILE...
NO ADDITIONAL AIR LINE
OR CHARGING CABLES
NEEDED

50kg
Capacity

1380mm



Knurled
safety
clamp

The lifters drive screw
can be activated by an
air or battery-operated
ratchet wrench from the
top of the unit.

Fully
adjustable
rollers

FEATURES

Braked Swivel Castor.
Sturdy Frame to safely transport
wheel around workshop.
Adjustable Safety Brace.

Excludes GST
\$1059
Inc. GST \$1164.90

Braked
swivel
castors

Nut & bolt
storage
tray

**MADE FOR THE
TRADE**



HYDRAULIC BOTTLE JACKS

TRADEQUIP
the trusted brand in equipment

**HEAVY DUTY
One Piece
Ergonomic
Handle**

from

Excludes GST
\$99
Inc. GST \$108.90



FEATURES

Machined and polished cylinders with die-cut threads provide non-abrasive leak-free, durable performance. Fabricated from hard-cast steel with heat-treated critical stress areas. Unique cross-type forged release valve ensures positive load control. Overload protection Hydraulic system is protected from internal damage by a by-pass mechanism. High quality glide-action pressure pump. Supplied with 500mm pump handle.

Code	2012	2013	2014	2015	2016
Capacity	10,000kg	15,000kg	20,000kg	12,000kg	20,000kg
Hydraulic Lift	125mm	125mm	145mm	85mm	115mm
Adjustable Height	70mm	70mm	60mm	50mm	75mm
Min. Height	205mm	227mm	245mm	180mm	200mm
Max. Height	400mm	447mm	450mm	315mm	390mm
Base Area	124x124mm	148x136mm	167x156mm	157x134mm	167x156mm
Excl. GST	\$99	\$119	\$155	\$115	\$155
Incl. GST	\$108.90	\$130.90	\$170.50	\$126.50	\$170.50

AIR/HYDRAULIC BOTTLE JACK 12,000KG

TQBJ12TA **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: 12,000kg
Working height: 260-510mm
Adjustable screw: 80mm
Work pressure: 110-125psi
Hydraulic stroke: 170mm
Air inlet fitting: 1/4"

FEATURES

Compact powerful Air Turbo motor.
Versatile "quick connector" provides 'quick & easy air connection'.
Two piece pump handle.
Convenient welded carry handle.

Excludes GST
\$219
Inc. GST \$240.90



**12,000kg
Capacity**

AIR/HYDRAULIC SQUAT JACK 20,000KG

TQBJ20TAS **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: 20,000kg
Working height: 178-328mm
Adjustable screw: 63mm
Work pressure: 110-125psi
Hydraulic stroke: 87mm
Air inlet fitting: 1/4"

Excludes GST
\$299
Inc. GST \$328.90



**20,000kg
Capacity**

AIR/HYDRAULIC BOTTLE JACK 20,000KG

2026T **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: 20,000kg
Working height: 265-510mm
Hydraulic lift: 170mm
(265mm to 435mm)
Adjustable height: 75mm
(max. height 510mm)
Base area: 224x134mm
Work pressure: 90-120psi
Weight: 16kg

FEATURES

Compact powerful Air Turbo motor.
Versatile "quick connector" provides 'quick & easy air connection'.
Two piece pump handle.
Convenient welded carry handle.

Excludes GST
\$279
Inc. GST \$306.90



**20,000kg
Capacity**

AIR ACTUATED SUPER LOW PROFILE JACK 20,000KG

2051T **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: 20,000kg
Working height: 148-259mm
Screw extension height: 45mm
Operating air pressure: 100-145psi
Hydraulic stroke: 66mm
Air inlet fitting: 1/4"

FEATURES

Compact powerful Air Turbo motor.
Versatile "quick connector" provides 'quick & easy air connection'.
Chrome plated rams.
Convenient welded carry handle.

Excludes GST
\$369
Inc. GST \$405.90



**20,000kg
Capacity**

FEATURES OF TQ Pro BOTTLE JACKS

Using CNC technology, **TQ Pro** products are constructed using superior-grade steel and built to premium **TQ Pro** standards for professional quality and durability. Premium quality large diameter hydraulic steel cylinders are machined with precision tolerances, then treated and polished to minimise wear and extend service life. Incorporating the latest technology in aggressive wiping lips and OD exclusion, the high capability premium quality seal systems efficiently protect internal hydraulics keeping it free from dirt, mud, water, and other contaminants. A lead-free paint finish is applied after a thorough chemical wash to ensure a long-lasting premium finish with a final coat that is oil, grease and dirt-resistant for easy cleanup.

TQ Pro
LATEST APPLIED TECHNOLOGIES

Trusted by serious professionals

Professional
Reputable
Outstanding

AIR/HYDRAULIC BOTTLE JACK 20,000KG

PROBJ20TA

Safe working capacity: 20,000kg
Working height: 260-516mm
Hydraulic lift: 150mm
Adjustable lift: 95mm
Operating air pressure: 110-125psi
Air inlet fitting: 1/4"
Base: 230 x 150 x 30mm
Weight: 19kg

TQ Pro
LATEST APPLIED TECHNOLOGIES

Trusted by serious professionals

Professional
Reputable
Outstanding

Excludes GST
\$449
Inc. GST \$493.90

WELDED BASE



AIR ACTUATED BOTTLE JACK SQUAT 20,000KG

PROBJ20TAS

Safe working capacity: 20,000kg
Working height: 178-324mm
Hydraulic lift: 85mm
Operating air pressure: 110-125psi
Adjustable height: 61mm
Air inlet fitting: 1/4"
Base: 230 x 150 x 30mm
Weight: 16kg

TQ Pro
LATEST APPLIED TECHNOLOGIES

Trusted by serious professionals

Professional
Reputable
Outstanding

**20,000kg
Capacity**

WELDED BASE

Excludes GST
\$449
Inc. GST \$493.90



AIR/HYDRAULIC BOTTLE JACK 30,000KG

PROBJ30TA

Safe working capacity: 30,000kg
Working height: 276-521mm
Hydraulic lift: 150mm
Op. air pressure: 110-125psi
Air inlet fitting: 1/4"
Base: 250 x 180 x 40mm
Weight: 29kg

TQ Pro
LATEST APPLIED TECHNOLOGIES

Trusted by serious professionals

Professional
Reputable
Outstanding

**30,000kg
Capacity**

Excludes GST
\$589
Inc. GST \$647.90

WELDED BASE



BORUM BOTTLE JACK FEATURES

Manufactured of superior-grade steel and built to exacting standards for quality and durability. Lead-free paint finish is oil, grease and dirt-resistant. Built-in by-pass device protects hydraulic system. Compact, powerful Air Turbo Motor. High quality large diameter hydraulic steel cylinder. Precision machined, chrome plated and polished piston-ram. Versatile "quick connector" for easy removal of air hose.

BORUM
INDUSTRIAL WORKSHOP EQUIPMENT

**INDUSTRIAL
QUALITY**

AIR/HYDRAULIC BOTTLE JACK 20,000KG

BTSJ20TB

Safe working capacity: 20,000kg
Working height: 262 - 504mm
Hydraulic lift: 163mm
Op. air pressure: 110-125psi
Air inlet fitting: 1/4"
Weight: 16kg

**INDUSTRIAL
QUALITY**

Excludes GST
\$349
Inc. GST \$383.90

**20,000kg
Capacity**



AIR/HYDRAULIC BOTTLE JACK 35,000KG

BBJ35TA

Safe working capacity: 35,000kg
Working height: 264 - 414mm
Hydraulic lift: 150mm
Operating air pressure: 110-125psi
Air inlet fitting: 1/4"
Weight: 29kg

**INDUSTRIAL
QUALITY**

Pre-Order
ETA
DEC 2022

Excludes GST
\$499
Inc. GST \$548.90

**35,000kg
Capacity**



YouTube



Scan code for
online product
maintenance
demonstration

SUPPORT STAND 10,000KG

10TSS **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 10,000kg
Working height: 720-1190mm
Adjustable pin heights: 10
Saddle dimensions: 150x80mm
Base: 406 x 556mm
Weight: 23.5kg

Excludes GST

\$379

Inc. GST \$416.90

INDUSTRIAL QUALITY

10,000kg Capacity

Max. height 1190mm

FEATURES

Stable 4 legged stability.
Lead-free paint is oil, grease and dirt-resistant for easy cleanup.
High strength locking pin & controlled pin holes for easy height adjustments.
Turned post slide for easy quick adjustments.

***10TSS/10TSSSHORT SOLD INDIVIDUALLY**

SUPPORT STAND 10,000KG SHORT

10TSSSHORT **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 10,000kg
Working height: 480-780mm
Adjustable pin heights: 6
Saddle dimensions: 150x80mm
Base: 310 x 310mm
Weight: 18kg

Excludes GST

\$339

Inc. GST \$372.90

UNDERHOIST AUXILIARY STAND 680KG

1198T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 680kg
Height: 1370-2045mm
Base diameter: 300mm
Weight: 16.5kg

INDUSTRIAL QUALITY

FEATURES

Fast and safe technology for professional mechanics.
Heavy gauge steel frame prevents distortion or twisting.
Provides partial support for components - NOT designed to support the vehicle.
Foot pedal allows easy load movement and hand free operation.
Quick action adjustable height mechanism.
Sold individually recommended only to be used individually.

Excludes GST

\$195

Inc. GST \$214.50



WHEN TO USE AN AUXILIARY STAND

680kg Capacity

Hands free foot pedal operation

Max. height 2045mm

AUXILIARY STAND 7,000KG

BAUXS7T **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 7,000kg
Working height: 1295-1905mm
Adjustable pin heights: 8 (75mm increments)
Base: 300x300x300mm
Weight: 65kg

Excludes GST

\$1499

Inc. GST \$1648.90


7,000kg Capacity

FEATURES

Heavy duty design and support bracing system to sustain heavy vehicle loads.
Manufactured from high-grade steel and built to exacting standards for quality and durability.
Fitted with spring loaded castor wheels to ensure easy movement around the workshop.
Fitted with spring loaded support beam.
Lead-free paint finish is applied after a thorough chemical wash to ensure a long-lasting finish and to help prevent rust.
Paint is oil, grease and dirt-resistant for easy cleanup.
High strength locking pin.
Controlled pin holes for easy height adjustments.
Turned post slide for easy quick adjustments.

Max. height 1905mm

3 saddle options:
90mm, 120mm, up to 150mmØ



Spring loaded castor wheels

INDUSTRIAL QUALITY



TRUCK JACK STANDS **BORUM**

SOLD INDIVIDUALLY

Code	15TJSSSHORT	15TJS
Load limit	15,000kg	15,000kg
Height	446 - 631mm	645-1077mm
Base Area	300x300mm	460x460mm
Excl. GST	\$425	\$519
Incl. GST	\$467.50	\$570.90

Code	25TJSSSHORT	25TJS
Load limit	25,000kg	25,000kg
Height	415 - 539mm	680-968mm
Base Area	300x300mm	460x460mm
Excl. GST	\$529	\$599
Incl. GST	\$581.90	\$658.90

FEATURES

Manufactured from high-grade steel and built to exacting standards for quality and durability.
Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup.
High strength locking pin.
Controlled pin holes for easy height adjustments.
Turned post slide for easy quick adjustments.
Heavy-gauge steel Gusseted uprights prevent distortion or twisting.
Rugged base provides plenty of stability.
Conveniently located carry handle.
Sold individually. (not in pairs)

INDUSTRIAL QUALITY

from

Excludes GST

\$425

Inc. GST \$467.50



AIR ACTUATED TRUCK JACK 20,000KG

PROTRJA20T

Safe working capacity: 20,000kg
Working height: 215-541mm
Hydraulic Lift: 141mm
Adjustable screw: 85mm
Adaptors: 20, 50, 100mm
Handle length: 1335mm
Operating air pressure: 145-175psi
Chassis: 520L x 215H x 258Wmm

LATEST APPLIED TECHNOLOGIES
TQ PRO
Trusted by serious professionals

**Professional
Reputable
Outstanding**

**SELF-
RETURNING
LOWERING &
LIFTING SWITCH**

Excludes GST
\$1349
Inc. GST \$1483.90

FEATURES
Double sealing using XTP industry sealing.
Telescopic air actuation lift (air-hydraulic pump).
Long T-handle lets you easily position your jack under vehicle.
Self-returning lowering and lifting switch.
Internal and external cylinders hard chromed.
High manoeuvrability & deep reach.
3 extension adaptors/saddle plates.



PORTABLE TRUCK RAMPS

BTR20TP **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working load: 20,000kg per pair
Frame: 1160L x 463W x 242Hmm
Max. tyre width: 393mm

SOLD IN PAIRS

pair

Excludes GST
\$1629
Inc. GST \$1791.90

**Suitable
for Buses
and Trucks**

FEATURES
Long retractable T-handle for easy positioning.
"NON-SKID BASE" - 4 ply pads of rubber grips are bolted and glued to the 6mm steel floor plates and they will not skid ahead of the wheels.
Replaces need for a pit or hoist, and at a fraction of the cost and floor space.



AIR ACTUATED TRUCK JACK 22,000KG

2004T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 22,000kg
Lift range: 210-525mm
Hydraulic lift: 120mm
Adjustable height: 80mm
Adaptors: 19, 55, 100mm
Handle length: 1065mm
Chassis: 500L x 215H x 320Wmm

**MADE FOR THE
TRADE**



**Includes
Height
Adaptors**

Excludes GST
\$819
Inc. GST \$900.90

FEATURES
Trade quality rugged steel construction.
Wear-resistant quality sealing O-rings.
Strong hydraulic pump.
Temperature-resistant hydraulic oil.
Treated and polished piston and Quick lift ram.
Built-in bypass hydraulic safety overload system.
Compact design easily fits dual tandem axles.
Convenient & efficient height adaptors.
3-position pumping handle.
High quality lead-free paint is oil, grease and dirt-resistant finish for easy cleanup.



TRUCK WHEEL LIFTER

BTWD750 **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 750kg
Lift arm spread: 533-635mm
Lifting range: 60-275mm
Tilt range: -2.5 to 10 degrees
787L x 1092W x 895H mm

Excludes GST
\$909
Inc. GST \$999.90

**INDUSTRIAL
QUALITY**



**750kg
Capacity**

**Suitable
for Buses
and Trucks**

AIR ACTUATED TRUCK JACK 22,000KG

B2003T **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 22,000kg
Lift range: 210-525mm
Hydraulic lift: 120mm
Adjustable height: 80mm
Adaptors: 19, 55, 100mm
Handle length: 1065mm
Chassis: 500L x 215H x 320Wmm

**INDUSTRIAL
QUALITY**

**LIFTS
22,000KG**

**Includes
Height
Adaptors**

FEATURES
Solid heavy duty construction.
Advanced technology sealing rings.
Fast motion super duty air pump.
Temperature-resistant hydraulic oil.
Treated and polished piston and ram.
Built-in bypass hydraulic safety overload system.
Compact design easily fits dual tandem axles.
Convenient & efficient height adaptors.
3-position pumping handle.
High quality lead-free paint is oil, grease and dirt-resistant finish for easy cleanup.

Excludes GST
\$989
Inc. GST \$1087.90



TRUCK WHEEL NUT WRENCH TORQUE MULTIPLIER

8033 **TRADEQUIP**
The trusted brand in equipment

1" Drive hand winder operated
Trans-speed ratio: 1:56
27mm, 32mm, 33mm, 41mm
wheel nut sockets
Torque output: 4800Nm

**INDIVIDUAL
SOCKETS
AVAILABLE**



**Suitable
for Buses
and Trucks**

Excludes GST
\$169
Inc. GST \$185.90

AIR ACTUATED JACK 2 STAGE 15,000/30,000KG

BTJ1530TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

First stage: 30,000kg safe working capacity
Second stage: 15,000kg safe working capacity
First stage hydraulic lift: 73mm
Second stage hydraulic lift: 66mm
Operating air pressure: 145-175psi
Height: 150-409mm
Adaptors: 45 and 75mm
Handle length: 1300mm
Chassis: 480 x 290 x 150mm



THE GREAT ALL-ROUNDER

Excludes GST
\$2349
Inc. GST \$2583.90

**LIFTS
30,000KG**

**Includes
Height
Adaptors**

FEATURES

Double sealing function using XTP industry sealing.
Telescopic air actuation lift (air-hydraulic pump).
Long T-handle lets you easily position your jack under vehicle.
Self-returning lower & lift switch.
Internal and external cylinders hard chromed.
High manoeuvrability & deep reach under vehicles.
2 extension adaptors/saddle plates.
Large rubber wheels.

**INDUSTRIAL
QUALITY**

AIR ACTUATED TRUCK JACK 35,000KG

BTJ35TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 35,000kg
Lift range: 255-633mm
Hydraulic lift: 155mm
Adjustable height: 123mm
Adaptors: 21, 61, 100mm
Handle length: 1110mm
Operating air pressure: 110-125psi
Chassis: 555L x 255H x 295Wmm

**INDUSTRIAL
QUALITY**

FEATURES

Pro quality rugged steel construction.
Wear-resistant quality sealing O-rings.
Strong hydraulic pump & 3-position handle.
Temperature-resistant hydraulic oil.
Treated and polished piston and ram.
Built-in bypass hydraulic safety overload.
Compact design and Quick Lift ram.
Convenient & efficient height adaptors.
High quality lead-free paint.



Excludes GST
\$1169
Inc. GST \$1285.90

**Includes
Height
Adaptors**

**LIFTS
35,000KG**

AIR ACTUATED TRUCK JACK 50,000KG

BTJ50TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 50,000kg
Lift range: 287-650mm
Hydraulic lift: 153mm
Adjustable screw: 110mm
Adaptors: 20, 60, 100mm
Handle length: 1230mm
Operating air pressure: 110-125psi
Chassis: 525L x 288H x 325Wmm

**INDUSTRIAL
QUALITY**

FEATURES

Pro quality rugged steel construction.
Wear-resistant quality sealing O-rings.
Strong hydraulic pump & 3-position handle.
Temperature-resistant hydraulic oil.
Treated and polished piston and ram.
Built-in bypass hydraulic safety overload.
Compact design and Quick Lift ram.
Convenient & efficient height adaptors.
High quality lead-free paint.



Excludes GST
\$1619
Inc. GST \$1780.90

**Includes
Height
Adaptors**

**LIFTS
50,000KG**

AIR ACTUATED TRUCK JACK 60,000KG

BTJ60TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 60,000kg
Lift range: 420-1031mm
Hydraulic lift: 311mm
Adaptors: 100 & 200mm
Handle length: 1290mm
Operating air pressure: 145-175psi
Chassis: 910L x 420H x 300Wmm

**INDUSTRIAL
QUALITY**

**SUITS
HIGH
AXLES**

FEATURES

Double sealing function using XTP industry sealing.
Telescopic air actuation lift.
Self-returning lowering and lifting switch.
Internal & external cylinders hard chromed
Long T-handle for high manoeuvrability & deep reach under vehicles.
Designed for extremely high axles.



Excludes GST
\$4999
Inc. GST \$5498.90

**Includes
Height
Adaptors**

**LIFTS
60,000KG**

AIR ACTUATED 2 STAGE TRUCK JACK 10,000/25,000KG

BTJ1025TA **BORUM** INDUSTRIAL WORKSHOP EQUIPMENT

Stage 1: 25,000kg safe working capacity
Stage 2: 10,000kg safe working capacity
Lift range: 185-497mm
Hydraulic lift: Stage1: 97mm, Stage2: 95mm
Adaptors: 45, 75mm
Handle length: 1380mm
Operating air pressure: 145-175psi
Chassis: 770L x 282H x 185Wmm

Excludes GST
\$3049
Inc. GST \$3353.90

INDUSTRIAL QUALITY

DEEP REACH

LIFTS 25,000KG

Includes Height Adaptors

FEATURES

Double sealing function - XTP industry sealing.
Telescopic air actuation lift.
Self-returning lowering and lifting switch.
Internal & external cylinders hard chromed
Long T-handle for high manoeuvrability & deep reach under vehicles.

AIR ACTUATED 2 STAGE TRUCK JACK 25,000/50,000KG

BTJ2550TA **BORUM** INDUSTRIAL WORKSHOP EQUIPMENT

Stage 1: 50,000kg safe working capacity
Stage 2: 25,000kg safe working capacity
Lift range: 215-564mm
Hydraulic lift: Stage1: 115mm, Stage2: 114mm
Adaptors: 45, 75mm
Handle length: 1380mm
Operating air pressure: 145-175psi
Chassis: 805L x 282H x 215Wmm

Excludes GST
\$3699
Inc. GST \$4068.90

INDUSTRIAL QUALITY

LIFTS 50,000KG

Includes Height Adaptors

FEATURES

Double sealing function - XTP industry sealing.
Telescopic air actuation lift.
Self-returning lowering and lifting switch.
Internal & external cylinders hard chromed
Long T-handle for high manoeuvrability & deep reach under vehicles.

AIR ACTUATED 3 STAGE TRUCK JACK 10,000/25,000/50,000KG

BTJ102550TA **BORUM** INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: Stage1: 10,000kg
Stage2: 25,000kg, Stage3: 50,000kg
Lift range: 160-472mm
Hydraulic lift: Stage1: 62mm
Stage2: 61mm, Stage3: 69mm
Adaptors: 45, 75mm
Handle length: 1380mm
Operating air pressure: 145-175psi
Chassis: 825L x 282H x 160Wmm

LIFTS 50,000KG

INDUSTRIAL QUALITY

Includes Height Adaptors

FEATURES

Double sealing function using XTP industry sealing.
Telescopic air actuation lift.
Self-returning lowering and lifting switch.
Internal & external cylinders hard chromed
Long T-handle for high manoeuvrability & deep reach under vehicles.

Excludes GST
\$3669
Inc. GST \$4035.90

DEEP REACH LOWER PROFILE

AIR ACTUATED 3 STAGE TRUCK JACK 20,000/40,000/60,000KG

BTJ204060TA **BORUM** INDUSTRIAL WORKSHOP EQUIPMENT

First stage: 60,000kg safe working capacity
Second stage: 40,000kg safe working capacity
Third stage: 20,000kg safe working capacity
First stage hydraulic lift: 57mm
Second stage hydraulic lift: 59mm
Third stage hydraulic lift: 61mm
Height: 150-447mm
Adaptors: 45 and 75mm
Operating air pressure: 145-175psi
Handle length: 1380mm
Chassis: 875 x 295 x 150mm

LIFTS 60,000KG

SUPER DEEP SUPER LOW

INDUSTRIAL QUALITY

Includes Height Adaptors

Excludes GST
\$4099
Inc. GST \$4508.90

FEATURES

Double sealing function using XTP industry sealing.
Telescopic air actuation lift (air-hydraulic pump).
Long T-handle lets you easily position your jack under vehicle.
Self-returning lowering and lifting switch.
Internal and external cylinders hard chromed.
High manoeuvrability & deep reach under vehicles.
2 extension adaptors / saddle plates.
Large rubber wheels.

AIR ACTUATED 2 STAGE TRUCK JACK 50,000/80,000KG

BTJ5080TA **BORUM** INDUSTRIAL WORKSHOP EQUIPMENT

First stage: 80,000kg safe working capacity
Second stage: 50,000kg safe working capacity
First stage hydraulic lift: 111mm
Second stage hydraulic lift: 102mm
Height: 230-563mm
Adaptors: 45 and 75mm
Operating air pressure: 145-175psi
Handle length: 1300mm
Chassis: 930 x 340 x 230mm

LIFTS 80,000KG

INDUSTRIAL QUALITY

SUPER DEEP SUPER HIGH LIFT SUPER HIGH CAPACITY

Excludes GST
\$4599
Inc. GST \$5058.90

Includes Height Adaptors

FEATURES

Double sealing function using XTP industry sealing.
Telescopic air actuation lift (air-hydraulic pump).
Long T-handle lets you easily position your jack under vehicle.
Self-returning lowering and lifting switch.
Internal and external cylinders hard chromed.
High manoeuvrability & deep reach under vehicles.
2 extension adaptors / saddle plates.
Large rubber wheels.

TRANSMISSION LIFTER PASSENGER VEHICLES

2059T **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: RWD/FWD GVM <2,000KG
Rated capacity: 500kg
Working height: 820-1768mm
Forward tilt: 9° Rearward tilt: 17°
Weight: 52kg

Excludes GST
\$799
Inc. GST \$878.90



TRANSMISSION LIFTER PASSENGER VEHICLES

2002T **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: RWD/FWD/AWD GVM <2,300KG
Rated capacity: 500kg
Working height: 870-1850mm
Cradle size: 250 x 362mm
Tilt: Fwd 15° Tilt Rwd 7°
2 Stage lift Base: 810 x 810mm
Weight: 73kg

FEATURES

High-grade steel for quality and durability.
Lead-free paint prevents rust and is oil, grease and dirt-resistant for easy cleanup.
Universal mounting cradle provides wide fore & aft tilt.
High quality large diam. hydraulic steel cylinder unit.
Piston-ram treated & polished to extend service life.

MADE FOR THE TRADE

Safety chains included

MODEL RUNOUT



Excludes GST
\$909
Inc. GST \$999.90



TRANSMISSION LIFTER PASSENGER VEHICLES

2052 **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: RWD/FWD/AWD GVM <2,500KG
Rated capacity: 500kg
Working height: 855-1760mm
Cradle size: 276 x 360mm
2 Stage lift
4 way tilting working head
Tilt: Fwd 15° Rwd 7° Lat 7°
Base: 690 x 780mm
Weight: 61kg

FEATURES

High-grade steel for quality and durability.
Lead-free paint prevents rust and is oil, grease and dirt-resistant for easy cleanup.
Universal mounting cradle provides wide fore & aft tilt.
High quality large diam. hydraulic steel cylinder unit.
Piston-ram treated & polished to extend service life.

4 way tilting action head



Excludes GST
\$899
Inc. GST \$988.90



TRANSMISSION LIFTER SUV / 4X4 AND LIGHT COMMERCIAL

2053T **TRADEQUIP**
the trusted brand in equipment

Safe working capacity: RWD/FWD/AWD/4X4 GVM <3,200KG
Rated capacity: 1,000kg
Working height: 860-1850mm
Cradle size: 355 x 255mm
2 Stage lift Base: 730 x 730mm
Weight: 82kg

FEATURES

High-grade steel for quality and durability.
Lead-free paint prevents rust & is oil, grease and dirt-resistant for easy cleanup.
Universal mounting cradle provides wide fore & aft tilt.
High quality large diam. hydraulic steel cylinder unit.
Piston-ram treated & polished to extend service life.



MODEL RUNOUT

MADE FOR THE TRADE

Excludes GST
\$1219
Inc. GST \$1340.90



INTENDED USE: Removal & Installation of Transmissions
NOT INTENDED FOR: Supporting Loads i.e. Fuel Tanks, Suspension Work, BullBar Installations

TRANSMISSION LIFTER PASSENGER VEHICLES

PROTL500

Safe working capacity:
RWD/FWD/4WD GVM <2,500KG
Rated capacity: 500kg
Working height: 940-1940mm
Ram travel 1st stage: 490mm
Ram travel 2nd stage: 510mm
Tilt: Fwd 9° Rwd 28° Left 9° Right 28°
Base: 610 x 740mm
Weight: 65kg

LATEST APPLIED TECHNOLOGIES
TQPro
Trusted by serious professionals

**Professional
Reputable
Outstanding**

FEATURES

Piston-ram is treated and polished to minimise wear and extend service life.
Premium quality (doubled) O rings with anti-dust ring.
Rapid lift without load.
Slow descent with load.
Overload safety valve.
Aviation grade hydraulic fluid.

Foot operated quicklift pump

Excludes GST
\$1299
Inc. GST \$1428.90

TRANSMISSION LIFTER SUV/4X4 AND LIGHT COMMERCIAL

PROTL1000

Safe working capacity:
RWD/FWD/4WD/4X4 GVM <3,500KG
Rated capacity: 1,000kg
Working height: 940-1940mm
Ram travel 1st stage: 490mm
Ram travel 2nd stage: 510mm
Tilt: Fwd 9° Rwd 28° Left 9° Right 28°
Base: 610 x 740mm
Weight: 76.5kg

LATEST APPLIED TECHNOLOGIES
TQPro
Trusted by serious professionals


**Professional
Reputable
Outstanding**

FEATURES

Piston-ram is treated and polished to minimise wear and extend service life.
Premium quality (doubled) O rings with anti-dust ring.
Rapid lift without load.
Slow descent with load.
Overload safety valve.
Aviation grade hydraulic fluid.

Foot-operated quicklift pump

Excludes GST
\$1769
Inc. GST \$1945.90



Wide wheel stability

Maximum height: 1940mm



4 way tilt action



TRANSMISSION LIFTER SUV/4X4 AND LIGHT COMMERCIAL


2057T TRADEQUIP

Safe working capacity:
RWD/FWD/4WD/4X4 GVM <3,500KG
Rated capacity: 1,000kg
Working height: 205-725mm
Cradle size: 340 x 200mm

Tilt: Fwd 70° Rwd 15°
Cradle lateral adjustment: 90mm
Chassis: 850L x 490W x 305Hmm
Weight: 54kg

FEATURES

Adjustable head (forward & backward).
Lateral cradle adjustment.
Hydraulic system overload protection.
Four (4) swivel castors allow easy movement and positioning of transmission jack.
Rugged heavy duty steel wheels with full swivel ball bearing castors.
User-friendly 360° rotating pumping handle.



360° rotating handle



Excludes GST
\$769
Inc. GST \$845.90



TRANSMISSION LIFTER COMMERCIAL VEHICLES

BHDTJ2 BORUM

Safe working capacity: 2,000kg
Working height: 210-900mm
Cradle size: min. 385-470mm
Cradle size: max. 570-470mm
Adjustable tilt cradle
Cradle forward tilt: 30°
Cradle backward tilt: 30°
Swivel castors: 100mm
Chassis: 1160L x 685Wmm
Weight: 130kg

FEATURES

The adjustable cradle can be tilted forward or backward for optimum alignment of transmission bolt patterns and pins.
Hydraulic system is protected from overload damage.
Safety load-restraint for raising and lowering safety.
Rugged steel wheels & full swivel ball bearing castors.
User-friendly 360° rotating pumping handle.



900mm maximum lift height



INDUSTRIAL QUALITY



Large adjustable cradle size

Excludes GST
\$1999
Inc. GST \$2198.90

360° rotating handle



WARNING

INTENDED USE: Removal & Installation of Transmissions

NOT INTENDED FOR: Supporting Loads i.e. Fuel Tanks, Suspension Work, BullBar Installations



GARAGE JACK 3,000KG LOW PROFILE

2906T

Working load limit: 3,000kg
Height: 118 - 488mm
Handle length: 1400mm
Front wheels: 90mm dia 40mm width
Rear castors: 60mm dia 25mm width
Saddle diameter: 115mm
Dimensions: 670L x 380W x 170Hmm
Weight: 43kg

TESTED IN AUSTRALIA
MEETS MANDATORY
AS2615:2016

**MADE FOR THE
TRADE**

**LOW PROFILE
DEEP REACH
HIGH LIFT
HIGH CAPACITY
PERFECT ALL
ROUNDER**



488mm
max.
lift
height



Dual pump lift
technology

**HIGH LIFT - LOW PROFILE
AND DEEP REACH**



118mm
min. lift
height

**3,000kg
Capacity**

Excludes GST

\$499

Inc. GST \$548.90

Protective
foam handle
cover



How to bleed your
2906T Hydraulic
Garage Jack



230mm

175mm

120mm

FEATURES

Low profile and deep reach.
230mm deep reach at 120mm height.
1400mm long handle for deeper reach.
Quick Lift Dual Pump technology.
Internal bypass valve overload protection.
Lead-free paint finish helps prevent rust.
Paint is oil, grease and dirt-resistant.
Protective foam handle cover prevents vehicle damage.